Name:	PUID:
Your TA's Name: _	Recitation Time:
	MA 16100

SPRING 2024

EXAM 2 VERSION A

The problems are numbered 1-10.

For problems 1-8 indicate your answer by filling in the appropriate circle next to the answer choice. Partial credit will **not** be awarded for problems 1-8.

This exam is out of 100 points. Problems 1-8 are worth 8 points each and problems 9 and 10 are worth 16 points each. You will receive 4 points for signing the bottom of this page.

Extra scratch paper is not permitted. Write all your work in this exam booklet.

Write your name and PUID on each page. This will help us locate and successfully grade your test if the pages become separated.

You may not leave the room before 20 minutes have passed. If you finish the exam between when 20 and 50 minutes have passed, you may leave the room after turning in the exam booklet. If you finish within the last 10 minutes of the exam, you MUST REMAIN SEATED until your TA comes and collects your exam booklet.

Exam Policies:

- 1. Students may not open the exam until instructed to do so.
- 2. Students must obey the orders and requests by all proctors, TAs, and the instructor.
- 3. No student may leave in the first 20 min or in the last 10 min of the exam.
- 4. Books, notes, calculators, or any electronic devices are not allowed on the exam, and they should not even be in sight in the exam room. Students may not look at anybody else's test, and may not communicate with anybody else except, if they have a question, with their TA or the instructor.
- 5. After time is called, the students have to put down all writing instruments and remain in their seats, while the TAs will collect the exams.
- 6. Any violation of these rules and any act of academic dishonesty may result in severe penalties. Additionally, all violators will be reported to the Office of the Dean of Students.

Ι	have	read	and	und	$\operatorname{lerstand}$	tŀ	ıе	exam	rule	es i	stat	ed	al	OC	ve

Student S	Signature:		

PUID: _____

- 1. (8 Points) What is the derivative of $f(x) = x^e + \log_{17}(x)$?
 - $\bigcirc \mathbf{A} \ f'(x) = x^e + \frac{\ln(17)}{x}.$
 - $\bigcirc \ \mathbf{B} \ f'(x) = ex^{e-1} + \frac{1}{\ln(17)x}.$
 - $\bigcirc \mathbf{C} \quad f'(x) = x^e + \frac{1}{\ln(17)x}.$
 - $\bigcap \ \mathbf{D} \ f'(x) = ex^{e-1} + \frac{\ln(17)}{x}$
 - $\bigcirc \mathbf{E} \ f'(x) = ex^{e-1} + \frac{\log_{17}(x)}{\ln(17)}.$

PUID: _____

- 2. (8 Points) What is the derivative of $f(x) = \frac{\sin(x)}{e^x + x^2}$?
 - $\bigcirc \mathbf{A} \frac{e^x \cos(x) e^x \sin(x) + x^2 \cos(x) 2x \sin(x)}{(e^x + x^2)^2}.$
 - $\bigcirc \mathbf{B} \frac{-e^x \cos(x) + e^x \sin(x) x^2 \cos(x) + 2x \sin(x)}{(e^x + x^2)^2}.$
 - \bigcirc C $\frac{\cos(x)}{e^x + 2x}$.
 - $\bigcirc \mathbf{D} \frac{e^x \cos(x) + e^x \sin(x) + x^2 \cos(x) + 2x \sin(x)}{(e^x + x^2)^2}.$
 - $\bigcirc \mathbf{E} \ \frac{-e^x 2x}{(e^x + x^2)^2}.$

PUID: _____

- 3. (8 Points) What is the derivative of $f(x) = x^3 \cos(x) e^x$.
 - $\bigcirc \mathbf{A} -3x^2 \sin(x)e^x.$
 - $\bigcirc \mathbf{B} \ 3x^2 \cos(x) e^x x^3 \sin(x) e^x.$
 - \bigcirc **C** $((x^3 + 3x^2)\cos(x) + x^3\sin(x))e^x$.
 - \bigcirc **D** $x^3 \cos(x)e^x$.
 - \bigcirc **E** $((x^3 + 3x^2)\cos(x) x^3\sin(x))e^x$.

PUID: _____

4. (8 Points) What is the derivative of the function $f(x) = \arctan\left(\frac{1}{x^2}\right)$?

$$\bigcirc \mathbf{A} \quad f'(x) = \frac{-2}{x\sqrt{x^4 - 1}}.$$

$$\bigcirc \mathbf{B} \ f'(x) = \frac{-2}{x\sqrt{x^4 + 1}}.$$

$$\bigcirc \mathbf{C} \ f'(x) = \frac{-2}{x^3 + x}.$$

$$\bigcirc \mathbf{D} \ f'(x) = \frac{-2x}{x^4 + 1}.$$

$$\bigcirc \mathbf{E} \ f'(x) = \frac{-2}{x\sqrt{x^4 - x^2}}.$$

	Name:	PUID:
5.	moon's surfa in seconds. V	ball is thrown upwards on the surface of the moon and its position above the ce given in metres by $p(t) = -0.8t^2 + 16t + 2$ where the time t is measured. What is the maximum height in metres that the ball achieves and after how its does it achieve this height?
	\bigcirc A	It reaches its maximum height of $78m$ after 10 seconds.
	\bigcirc B	It reaches its maximum height of $81.28m$ after 12 seconds.
	\bigcirc C	It reaches its maximum height of $82m$ after 8 seconds.
	\bigcirc D	It reaches its maximum height of $82m$ after 10 seconds.
	\bigcirc E	It reaches its maximum height of 78m after 8 seconds.

PUID: _____

6. (8 Points) Find $\frac{dy}{dx}$ for the relation

$$\tan(y) + 2^y = x.$$

$$\bigcirc \mathbf{A} \frac{dy}{dx} = \frac{x}{\sec^2(y) + \frac{1}{\ln(2)}2^y}.$$

$$\bigcirc \mathbf{B} \frac{dy}{dx} = \sec(y)\tan(y) + \ln(2)2^{y}.$$

$$\bigcirc \mathbf{C} \frac{dy}{dx} = \frac{1}{\sec(y)\tan(y) + \ln(2)2^y}.$$

$$\bigcirc \mathbf{D} \frac{dy}{dx} = \frac{1}{\sec^2(y) + \frac{1}{\ln(2)}2^y}.$$

$$\bigcirc \mathbf{E} \frac{dy}{dx} = \frac{1}{\sec^2(y) + \ln(2)2^y}.$$

	Name:	PUID:	
7.	(8 Points) A 10 foot ladder is leaning against a	t a vertical wall when Charlotte beg	ins
	pulling the foot of the ladder away from the wall a	at a rate of 2 feet per second. Assum	ing

the foot of the ladder never leaves the ground and that the top of the ladder always touches the wall, how fast is the top of the ladder sliding down the wall when the foot of the ladder is 6 feet from the wall?

 \bigcirc **A** 2 feet per second downwards.

B 1.5 feet per second downwards.C 0.75 feet per second downwards.

 \bigcirc **D** 0.375 feet per second downwards.

 \bigcirc **E** 0.125 feet per second downwards.


	Name:	PUID:
8.	(8 Points) Von the interv	What are the maximum and minimum values of the function $f(x) = x^4 - 8x^2$ val $[-1,3]$.
	\bigcirc A	The maximum value is 9 and the minimum value is -16.
	\bigcirc B	The maximum value is 0 and the minimum value is -16.
	\bigcirc C	The maximum value is 9 and the minimum value is -7.
	\bigcirc D	The maximum value is 0 and the minimum value is -7.
	\cap E	The maximum value is 198 and the minimum value is -16

PUID: _____

9. An example of a curve called a Lemniscate of Gerono is given by the equation

$$x^4 - x^2 + y^2 = 0.$$

Here is the graph of this curve:



(i) (6 Points) On the graph above, without doing any computations, draw the tangent lines at the two points on the curve $x^4 - x^2 + y^2 = 0$ where $\frac{dy}{dx} = -2$.

(*Note*: Your line drawing does not have to be precise! It just needs to give some indication of where these points occur.)

Name: ______ (Note: this is a continuation of Problem 9.) PUID: _____

(ii) (6 Points) Compute $\frac{dy}{dx}$ for the curve $x^4 - x^2 + y^2 = 0$.

(iii) (4 Points) Find all points on the curve $x^4 - x^2 + y^2 = 0$ where $\frac{dy}{dx} = 0$.

- 10. An empty spherical balloon is being blown up at a rate of $\frac{36\pi}{5}$ cubic metres per second. Recall that if r is the radius of a sphere, the volume of that sphere is $V = \frac{4\pi}{3}r^3$ and the surface area of that sphere is $A = 4\pi r^2$.
 - (i) (3 Points) Compute $\frac{dV}{dr}$. Show your work and write your answer on the line below.

$$\frac{dV}{dr} = \underline{\hspace{1cm}}.$$

(ii) (3 Points) Compute $\frac{dA}{dr}$. Show your work and write your answer on the line below.

$$\frac{dA}{dr} =$$
______.

	Name:	PUID:	
	(Note: this is a continuation of Problem 10.)		
(iii)	(2 Points) What is the radius of the balloon aft write your answer on the line below.	ter 5 seconds?	Show your work and
	The balloon's radius is		

	Name:	PUID:	
	(Note: this is a continuation of Problem 10.)		
(iv)	(4 Points) How fast is the radius of the balloon your work and write your answer on the line below	0 0	Show
	The balloon's radius is changing at a rate of	metres per secor	nd

	Name:	PUID:	
	(Note: this is a continuation of Problem 10.)		
(v)	(4 Points) How fast is the surface area of the Show your work and write your answer on the lit	0 0	after 5 seconds?
	The balloon's surface area is changing at a rate per second.	of	_ metres squared

 $(\mathit{This}\ \mathit{page}\ \mathit{may}\ \mathit{be}\ \mathit{used}\ \mathit{for}\ \mathit{scratch}\ \mathit{work}\ \mathit{but}\ \mathit{work}\ \mathit{done}\ \mathit{here}\ \mathit{will}\ \mathit{not}\ \mathit{be}\ \mathit{graded}.)$