
NAME		
NAME	Page 1	/14
STUDENT ID	Page 2	/30
RECITATION INSTRUCTOR	Page 3	/24
	Page 4	/32
RECITATION TIME	TOTAL	/100


## DIRECTIONS

- 1. Write your name, 10-digit PUID, recitation instructor's name and recitation time in the space provided above. Also write your name at the top of pages 2, 3 and 4.
- 2. The test has four (4) pages, including this one.
- 3. Write your answers in the boxes provided.
- 4. You must show sufficient work to justify all answers unless otherwise stated in the problem. Correct answers with inconsistent work may not be given credit.
- 5. Credit for each problem is given in parentheses in the left hand margin.
- 6. No books, notes, calculators or any electronic devices may be used on this exam.
- (7) 1. Find the domain and sketch the graph of the function  $g(x) = \sqrt{x-2}$ .



Domain :

- (7) 2. (a) Is the function  $f(x) = \ln |x|$  even, odd, or neither?
- (b) Make a rough sketch of the graph of  $y = \ln |x|$



(8) 3. If  $\cos \theta = -\frac{2}{3}$ ,  $\pi < \theta < \frac{3\pi}{2}$ , find the following:

 $\sin \theta =$ 

 $\tan \theta =$ 

(6) 4. Find all values of x in the interval  $[0, 2\pi]$  that satisfy the equation  $\sin 2x = \sqrt{3} \cos x$ .

- (10) 5. If  $f(x) = 2 e^x$ , find the following:
  - (a) A formula for the inverse function  $f^{-1}(x)$ .

- (b) The domain of  $f^{-1}$ .
- (c) The range of  $f^{-1}$


- $f^{-1}(x) =$

- 6. Using a theorem about continuous functions, we can conclude that the equation (6) $x^4 + x - 3 = 0$  has a root in one of the following intervals:
  - A. (-1,0)
- B. (0,1)
- C. (1,2)
- D. (2,3)
- E. (3,4)

- (a) Circle the letter of that interval.
- (b) State the name of the theorem you are using.

(12) 7. For each of the following, fill in the boxes below with a finite number or one of the symbols  $+\infty$ ,  $-\infty$ , or DNE (does not exist). It is not necessary to give reasons for your answers.

Name






(b)  $\lim_{x \to 1} \frac{2-x}{(x-1)^2} =$ 



(c)  $\lim_{t \to 0} \left( \frac{1}{t} - \frac{1}{3t^2 + t} \right) =$ 




(d)  $\lim_{x \to 0} x^4 \cos(\frac{1}{x}) =$ 



(e)  $\lim_{x \to (\frac{\pi}{2})^+} e^{\tan x} =$ 



(f)  $\lim_{x \to -5} \frac{2x+10}{|x+5|} =$ 




(6) 8. Write the equations of the vertical and horizontal asymptotes, if any, of the graph of  $y = \frac{2x+1}{x-2}$ .

Vertical asymptotes


Horizontal asymptotes

(6) 9. Find the numbers at which  $f(x) = \begin{cases} x+1 & \text{if } x < 0 \\ e^x & \text{if } 0 \le x \le 1 \\ 2-x & \text{if } x > 1 \end{cases}$  is discontinuous.

(10) 10. Find the derivative of the function  $f(x) = \sqrt{1-x}$  using the definition of the derivative  $f'(x) = \lim_{h \to 0} \frac{f(x+h) - f(x)}{h}$ . (0 credit for using a formula for the derivative).




(6) 11. Find an equation of the tangent line to the curve  $y = x + \cos x$  at the point (0,1).




(16) 12. Find the derivatives of the following functions. Do not simplify.


(a) 
$$f(x) = 3e^x - \sqrt[3]{x^2}$$
.



(b)  $y = \frac{x \sin x}{e^x}$ .



(c)  $h(\theta) = \csc \theta + e^{\theta} \cot \theta$ .



(d)  $f(t) = \sqrt{t} + t^3 \tan t$ .

