MA 16600 EXAM 2 INSTRUCTIONS VERSION 01 October 18, 2017

Your name	Your TA's name		
Student ID #	Section # and recitation time		

- 1. You must use a #2 pencil on the scantron sheet (answer sheet).
- 2. Check that the cover of your question booklet is GREEN and that it has VERSION 01 on the top. Write 01 in the TEST/QUIZ NUMBER boxes and blacken in the appropriate spaces below.
- **3.** On the scantron sheet, fill in your <u>TA's</u> name (NOT the lecturer's name) and the course number.
- 4. Fill in your NAME and PURDUE ID NUMBER, and blacken in the appropriate spaces.
- **5.** Fill in the four-digit <u>SECTION NUMBER</u>.
- **6.** Sign the scantron sheet. All the answers should be marked on the scantron sheet.
- 7. Blacken your choice of the correct answer in the spaces provided for each of the questions 1–12. Do all your work on the question sheets. Show your work on the question sheets. Although no partial credit will be given, any disputes about grades or grading will be settled by examining your written work on the question sheets.
- 8. There are 12 questions, each worth 8 points. The maximum possible score is $8 \times 12 + 4$ (for taking the exam) = 100 points.
- **9.** NO calculators, electronic device, books, or papers are allowed. Use the back of the test pages for scrap paper.
- 10. After you finish the exam, turn in BOTH the scantron sheets and the exam booklets.
- 11. If you finish the exam before 8:55, you may leave the room after turning in the scantron sheets and the exam booklets. If you don't finish before 8:55, you should REMAIN SEATED until your TA comes and collects your scantron sheets and exam booklets.

Exam Policies

- 1. Students must take pre-assigned seats and/or follow TAs' seating instructions.
- 2. Students may not open the exam until instructed to do so.
- 3. No student may leave in the first 20 min or in the last 5 min of the exam.
- 4. Students late for more than 20 min will not be allowed to take the exam; they will have to contact their lecturer within one day for permission to take a make-up exam.
- 5. After time is called, the students have to put down all writing instruments and remain in their seats, while the TAs will collect the scantrons and the exams.
- 6. Any violation of the above rules may result in score of zero.

Rules Regarding Academic Dishonesty

- 1. You are not allowed to seek or obtain any kind of help from anyone to answer questions on the exam. If you have questions, consult only your instructor.
- 2. You are not allowed to look at the exam of another student. You may not compare answers with anyone else or consult another student until after you have finished your exam, handed it in to your instructor and left the room.
- 3. You may not consult notes, books, calculators. You may not handle cell phones or cameras, or any electronic devices until after you have finished your exam, handed it in to your instructor and left the room.
- 4. Anyone who violates these instructions will have committed an act of academic dishonesty. Penalties for academic dishonesty can be very severe and may include an F in the course. All cases of academic dishonesty will be reported immediately to the Office of the Dean of Students.

I have read and understand the exam policies and the rules regarding the academic dishonesty stated above:

STUDENT NAME:		
STUDENT SIGNATURE:		

Questions

- 1. Evaluate the integral $\int_0^1 \frac{x}{\sqrt{2-x^2}} dx$.
 - A. $\pi/6$
 - B. $\pi/4$
 - C. $\sqrt{2} 1$
 - D. $\frac{1}{2} \ln 2$
 - E. $\ln 3 \frac{\pi}{2}$

2. For the integral $I = \int \frac{1}{x^4 \sqrt{x^2 + 9}} dx$, choose the right trigonometric substitution and find the resulting integral.

A.
$$x = 3 \tan \theta$$
, $I = \frac{1}{27} \int \frac{(1-\sin^2 \theta)\cos \theta}{\sin^4 \theta} d\theta$

B.
$$x = 3 \tan \theta$$
, $I = \frac{1}{81} \int \frac{(1-\sin^2 \theta) \cos \theta}{\sin^4 \theta} d\theta$

C.
$$x = 3 \sec \theta$$
, $I = \frac{1}{27} \int \frac{(1-\sin^2 \theta) \cos \theta}{\sin^4 \theta} d\theta$

D.
$$x = 3\sin\theta$$
, $I = \frac{1}{81} \int \frac{(1-\sin^2\theta)\cos\theta}{\sin^4\theta} d\theta$

E.
$$x = 3\sin\theta$$
, $I = \frac{1}{27} \int \frac{(1-\sin^2\theta)\cos\theta}{\sin^4\theta} d\theta$

- $3. \int_3^4 \frac{6}{x^2 x 2} dx =$
 - A. $2 \ln \frac{8}{5}$
 - B. $\ln \frac{3}{4}$
 - C. $6 \ln 2$
 - D. $3 \ln \frac{2}{3}$
 - E. ln 5

- **4.** $\int_{1}^{\infty} x e^{-4x^2} dx =$

 - A. $\frac{1}{e^2}$ B. $\frac{1}{2e}$ C. $\frac{1}{8}e^{-4}$ D. $\frac{1}{4}$

 - E. The integral diverges.

- **5.** Find the area of the surface of revolution obtained by rotating the curve $y=\frac{1}{3}x^3,\ 0\leq x\leq 1$ about the x-axis
 - A. 3
 - B. $\frac{\pi}{3}(2^{3/2})$
 - C. $\frac{\pi}{4}$
 - D. $\frac{\pi}{9}(2^{3/2}-1)$
 - E. $\frac{3}{4}$

- **6.** Use Trapezoidal rule to find the approximate value of $\int_0^{\pi} (\sin x)^4 dx$ with n=4.
 - A. $\pi + 4$
 - B. 2

 - C. $\frac{4}{3}$ D. $\frac{3\pi}{2}$ E. $\frac{3\pi}{8}$

7. The partial fraction decomposition of

$$\frac{2x^4 + 1}{(x^2 - 1)(x^2 + 1)^2}$$

has the form

A.
$$\frac{A}{x^2-1} + \frac{Bx+C}{x^2+1}$$

B.
$$\frac{Ax+B}{x^2-1} + \frac{Cx+D}{x^2+1}$$

C.
$$\frac{A}{x-1} + \frac{B}{x+1} + \frac{Cx+D}{(x^2+1)^2}$$

D.
$$\frac{A}{x-1} + \frac{B}{x+1} + \frac{Cx+D}{(x^2+1)} + \frac{Ex+F}{(x^2+1)^2}$$

E.
$$1 + \frac{A}{x^2 - 1} + \frac{Cx + D}{(x^2 + 1)} + \frac{Ex + F}{(x^2 + 1)^2}$$

- **8.** Find all values of p for which the integral $\int_1^\infty \frac{1}{x^{1-p}} dx$ converges.
 - A. p < 2
 - B. p < 1
 - C. p > 2
 - D. p > 1
 - E. Diverges for all p.

- **9.** Let R be a metal plate described as a region bounded by the y-axis and the graphs of $f(x) = \sqrt{1 \frac{x^2}{2}}$ and $g(x) = -\sqrt{1 \frac{x^2}{2}}$ for $0 \le x \le \sqrt{2}$. Given that the area of R is $\frac{\pi}{\sqrt{2}}$ and the density is 1 unit everywhere, which of the following is the center of mass?
 - A. $(\frac{\sqrt{2}}{\pi}, 0)$
 - B. $(\frac{4\sqrt{2}}{3\pi}, 0)$
 - C. $(0, \frac{\pi}{\sqrt{2}})$
 - D. $(\frac{4\sqrt{2}}{2}, 0)$
 - E. $(\frac{4\sqrt{2}\pi}{3}, 0)$

10. Compute

$$\lim_{n \to \infty} \left(\frac{1 - 2n^2}{1 + n^2} + n^2 \left(\sin \frac{1}{n} \right)^2 \right)$$

- A. -2
- B. -1
- C. 1
- D. 2
- E. Divergent.

- 11. How many of the following statements are always correct?
 - (i). The sequence $\{a_n = 1 0.5^n\}$ is convergent as $n \to \infty$.
 - (ii). The sequence $\{a_n = \cos(n\pi)\}\$ is convergent as $n \to \infty$.
 - (iii). Any bounded sequence is convergent.
 - (iv). A convergent sequence is monotonic.
 - A. 0
 - B. 1
 - C. 2
 - D. 3
 - E. 4

- 12. Which of the following integral gives the length of the curve $y = \ln(2-x^2)$, $0 \le x \le 1$.
 - A. $\int_0^1 \frac{\sqrt{4+x^4}}{2-x^2} dx$
 - B. $\int_0^1 \frac{\sqrt{4-x^4}}{(2-x^2)^2} dx$
 - C. $\int_0^{\ln 2} \frac{\sqrt{1 + e^{2(y-2)}}}{2} dy$
 - D. $\int_0^{\ln 2} \sqrt{1 + e^{2(y-2)}} dy$
 - E. $\int_0^1 \sqrt{1+4x^2} dx$