

1. Given that $x < 0$, $y > 0$, and $z < 0$, which of the following values must be positive?

A. $\frac{x |xyz|}{y}$

B. $\frac{xy |x^2 + yz|}{z}$

C. $yz |y^2z|$

D. $\frac{x^2yz}{|z|}$

E. More than one is positive

2. Simplify.

$$(\square 2)^{\square 3} + 3^2$$

A. $\frac{73}{8}$

B. 15

C. 1

D. $\square 1$

E. $\frac{71}{8}$

3. Simplify.

$$\frac{(4x^{\square 5}y^2z^0)(3x^3y^4z^{\square 7})}{6z^{\square 5}}$$

A. $\frac{2y^6}{x^2z^2}$

B. $\frac{2y^8}{x^{15}z^5}$

C. $\frac{2y^8}{x^{15}}$

D. $2x^2y^6z^2$

E. None of the above

4. Multiply and express as a polynomial.

$$(2x + 3)(x^2 - 4x + 1)$$

- A. $2x^3 - 8x^2 + 2x + 3$
- B. $2x^3 + 3x^2 - 8x + 2$
- C. $2x^3 - 5x^2 - 10x + 3$
- D. $2x^3 + 6x^2 - 10x + 2$
- E. None of the above

5. Simplify.

$$\frac{1}{5} a^{13} b^4 c^{13}$$

- A. $\frac{3a^9}{5b^{12}c^3}$
- B. $\frac{125b}{a^6c^3}$
- C. $\frac{3b}{5a^6c^3}$
- D. $\frac{125a^9}{b^{12}c^3}$
- E. None of the above

6. Rationalize the denominator and simplify the result.

$$\sqrt{\frac{2x^2}{3xy^3}}$$

- A. $\frac{\sqrt{6xy}}{3y^2}$
- B. $\frac{2x}{3y^3}$
- C. $\frac{\sqrt{2x}}{y}$
- D. $\frac{4x^2}{9y^6}$
- E. $\frac{\sqrt{2}}{3y^3}$

7. Which of the following is a factor of $12x^2 + 16x \mp 3$?

- A. $3x + 1$
- B. $12x \mp 1$
- C. $2x \mp 3$
- D. $4x + 3$
- E. $6x \mp 1$

8. Which of the following is a factor of $81x^4 \mp 16y^8$?

- A. $81x \mp 16y^2$
- B. $3x^2 \mp 2y^4$
- C. $81x^2 + 16y^4$
- D. $3x + 2y^2$
- E. $9x^2 + 8y^4$

9. Simplify.

$$\frac{(3x+1)^2}{x^2 \mp 7x + 12} \div \frac{9x^2 \mp 1}{x \mp 4}$$

- A. $\frac{1}{x+3}$
- B. $\frac{3x+1}{(x \mp 3)(3x \mp 1)}$
- C. $\frac{3x+1}{x \mp 3}$
- D. $\frac{1}{x \mp 3}$
- E. $\frac{3x \mp 1}{(x \mp 3)(3x+1)}$

10. For what value of c is the number $x = 3$ a solution of:

$$4x \mp c(5 \mp 2x) = cx \mp 4$$

- A. $c = \mp 13$
- B. $c = 8$
- C. $c = 4$
- D. $c = \frac{19}{3}$
- E. None of the above

11. Solve $\frac{1}{w} = \frac{1}{p} + \frac{1}{h}$ for w .

A. $w = \frac{ph}{2}$

B. $w = \frac{1}{2}$

C. $w = \frac{h+p}{ph}$

D. $w = \frac{ph}{h+p}$

E. $w = p+h$

12. Solve the following equation for x . Choose the answer that best describes the solution.

$$\frac{3}{2x-1} = \frac{5}{x+4}$$

A. x is between 1 and 2

B. x is between 2 and 3

C. x is between 3 and 4

D. There is no solution for x .

E. All real numbers are solutions except $x = 0, -1$, and 1 .

13. Simplify.

$$\frac{\frac{4x}{x-3} - 2}{x - \frac{9}{x}}$$

A. $\frac{4x-2}{(x+3)(x-3)}$

B. $\frac{2x}{(x-3)^2}$

C. $\frac{4x-2}{x+3}$

D. $\frac{2}{x-3}$

E. $\frac{2x}{(x+3)(x-3)}$

14. A grocer wants to market a new blend of coffee by mixing Mocha beans with Brazilian beans. He is going to make 100 pounds of the blend and sell it for \$3.90 per pound. The Mocha beans sell for \$2.75 per pound and the Brazilian beans sell for \$5.00 per pound. How many pounds of the Mocha beans should be used to create the blend? Round your answer to the nearest tenth of a pound.

- A. 34.7 pounds
- B. 48.9 pounds
- C. 50.3 pounds
- D. 78.0 pounds
- E. None of the above

15. A man goes to a car dealer to buy a used car. The car he is interested in is on sale for 5% off the sticker price. As he looks the car over, he notices a small dent near the bumper. The salesman offers to deduct another 20% off after the 5% reduction. The man pays \$8500 for the car. If x represents the sticker price of the car, find the equation that would be used to find x .

- A. $0.76x = 8500$
- B. $0.25x = 8500$
- C. $1.26x = 8500$
- D. $1.25x = 8500$
- E. $0.75x = 8500$