5/7/99

D. Gottlieb

MA 174

FINAL EXAM

Name \_\_\_\_\_

We will use the following three vector fields in this exam. The position vector field:

$$\mathbf{r} = x\mathbf{i} + y\mathbf{j} + z\mathbf{k}.$$

The Coulomb vector field:

$$\mathbf{E} = rac{\mathbf{r}}{\|\mathbf{r}\|^3} = rac{1}{(\sqrt{x^2 + y^2 + z^2})^3} \ (x\mathbf{i} + y\mathbf{j} + z\mathbf{k}).$$

The rotation vector field:

$$\mathbf{R} = -y\mathbf{i} + x\mathbf{j} + 0\mathbf{k}.$$

- (5 pts) a) For suitable  ${\bf F}$  and region D, state the divergence theorem.
- (5 pts) b) For suitable  ${\bf F}$  and surface S, state Stokes' theorem.

## ERRATA

- 2. Recall  $\mathbf{r}$  is the position vector field.
- (5 pts) e) If the volume enclosed by a closed surface S equals  $3\pi$ , what is the flux  $\iint_S \mathbf{r} \cdot \mathbf{n} d\sigma$  equal to?
- (5 pts) f) Show there is no closed surface S whose normal vector field **n** is always perpendicular to **r**.

An alternative problem for 5c), worth five points:

Find three real numbers whose sum is 9 and the sum of whose squares is as small as possible.

3) Recall  $\mathbf{E} := \frac{\mathbf{r}}{\|\mathbf{r}\|^3}$  is the coulomb vector field.

- (10 pts) a) Show  $\boldsymbol{\nabla} \cdot \mathbf{E} = 0$ .
- (10 pts) b) Show  $\nabla\left(\frac{-1}{r}\right) = \frac{\mathbf{r}}{r^3} = \mathbf{E}$  where  $r = \sqrt{x^2 + y^2 + z^2} = \|\mathbf{r}\|$ .
  - (5 pts) c) Find the flux  $\iint_{S} \mathbf{E} \cdot \mathbf{n} d\sigma$  for a closed surface S not containing **0**.
  - (5 pts) d) Find the flux for S containing **0**.
  - (5 pts) e) Find  $\int_{C} \mathbf{E} \cdot \mathbf{n} ds$  where C is a circle in the x-y plane about the origin with radius 1.

4. Suppose 
$$\mathbf{E}_1 = \frac{(\mathbf{r} - \mathbf{a})}{\|\mathbf{r} - \mathbf{a}\|^3}$$
 where  $\mathbf{a} = (1, 0, 0)$  and let  $\mathbf{E}_2 = \frac{\mathbf{r} - \mathbf{b}}{\|\mathbf{r} - \mathbf{b}\|^3}$  where  $\mathbf{b} = (0, 2, 0)$ .

- (0 pts) a) True or False: The fact that the divergence of **E** is zero leads you to believe the same for  $\mathbf{E}_1$  and the fact that the flux of **E** through a surface *S* depends only on whether **0** is enclosed in *S* or not enclosed in *S* leads you to believe the flux of  $\mathbf{E}_1$  through *S* only depends on whether **a** is enclosed by *S* or not.
- (0 pts) b) True or False: Your calculus skills are such that you could verify the mathematical statements in part a).
- (5 pts) c) Evaluate  $\nabla \cdot (\mathbf{E} + \mathbf{E}_1 + \mathbf{E}_2)$ .
- (5 pts) d) What is the flux of  $\mathbf{E} + \mathbf{E}_1 + \mathbf{E}_2$  through a sphere S of radius 1/2 centered at (0,0,1)?

- (5 pts) a) Show  $\nabla \cdot (a\mathbf{F}_1 + b\mathbf{F}_2) = a\nabla \cdot \mathbf{F}_1 + b\nabla \cdot \mathbf{F}_2$  where  $\mathbf{F}_1$  and  $\mathbf{F}_2$  are plane vector fields and a and b are constants.
- (5 pts) b) Show  $\nabla(f \cdot g) = g(\nabla f) + f(\nabla g)$  where f and g are differentiable functions of two variables x and y.
- (5 pts) c) Suppose F(x, y) = f(x, y)g(x, y) and suppose that F(x, y) has a maximum at (1, 2). If g(x, y) has a minimum at (1, 2) and if f has no critical point at (1, 2), what must g(1, 2) equal?
- (5 pts) d) Evaluate  $\nabla \cdot (\mathbf{r} + 3\mathbf{E})$ .

(10 pts) 6. Suppose the surface S is bounded by the curves  $C_1, C_2$  and  $C_3$ . Suppose  $\nabla \times \mathbf{F} = \mathbf{0}$ on S and suppose the circulations  $\int_{C_1} \mathbf{F} \cdot d\mathbf{r} = 1$ and  $\int_{C_2} \mathbf{F} \cdot d\mathbf{r} = -2$  where the integrals are taken in the

direction of the arrows in the diagram.

What is 
$$\int_{C_3} \mathbf{F} \cdot d\mathbf{r}$$
?

- (10 pts) a) Find the work done by moving a particle of mass 1 around a circle of radius 1 around the origin of the x-y plane opposite to the direction of the force field  $\mathbf{R} = -y\mathbf{i} + x\mathbf{j}$ .
- (5 pts) b) Calculate the curl,  $\nabla \times \mathbf{R}$ , of  $\mathbf{R}$  and then use Stokes' theorem to get a circulation integral around the boundary of a bounded region A in the x-y plane which gives the area of A.

8. 
$$\int_{1}^{4} \int_{0}^{\sqrt{x}} \frac{3}{2} e^{y/\sqrt{x}} dy dx.$$

- (10 pts) a) Sketch the region of integration.
- (10 pts) b) Reverse the order of integration.

- (10 pts) a) What is the unit outward pointing normal vector at the (1, 1, 1) point on the ellipsoid S given by  $x^2 + 2y^2 + 3z^2 = 6$ ?
- (10 pts) b) What is the equation of the tangent plane to S at (1, 1, 1)?
- (10 pts) c) S intersects the sphere  $(x-1)^2 + y^2 + z^2 = 2$  (of radius  $\sqrt{2}$  and center at (1,0,0)), in a curve C. Show (1,1,1) is on this curve C.
- (10 pts) d) What is the unit tangent **T** to C at (1, 1, 1)?

- (10 pts) a) Consider the set of all vectors  $\mathbf{x}$  in space so that  $\|\mathbf{x} \mathbf{a}\| = b$  where  $\mathbf{a}$  is a constant vector and b is a positive number. What quadric surface does this set represent. Can you describe the roles of  $\mathbf{a}$  and  $\mathbf{b}$ ?
  - OR
- (alt. 10 pts) b) Where does the line t(1, -1, 1) + (1, 1, 1) intersect the ellipsoid  $3x^2 + 4y^2 + 2z^2 = 10$ ?