

## Numerical Methods & .m Files

In order to use MATLAB routines for the Euler, Improved Euler and Runge-Kutta Methods, you will need the files **eul.m**, **rk2.m** and **rk4.m**, respectively. These files are already present on all PUCG machines as standard software. If you are using your own copy of MATLAB you may need to download these files. Here is a link : <http://math.rice.edu/~dfield/>

- You must first create a function file in the same directory (or folder) as your MATLAB. Here is one way. After MATLAB has been opened, pull down the **File** menu and select “**New M-File**”. A window will pop up for you to create your function file. For example, to create a function file for the function  $f(t, y) = 6t^3 - e^{2y} + \frac{\sqrt{t}}{y}$ , type :

```
function W=fcn1(t,y)
W=6*t^3-exp(2*y)+sqrt(t)/y;
```

(Don't forget the “;” at the end.)

- Save this file as a **.m file** with the SAME name as your function. The above example would be saved as “**fcn1.m**”. You can check if your function has been saved by typing something like the following at a MATLAB prompt:

```
>> fcn1(1,3)
```

You should get the value of  $f(1, 3)$ .

- Your initial value problem will have the form :  $\begin{cases} y' = f(t, y) \\ y(t_0) = y_0 \end{cases}$ . Assuming  $f(t, y)$  was saved as the file **fcn1.m**, the syntax for **eul** (as well as **rk2** and **rk4**, just replace **eul**) will be : `eul('fcn1', [t0, tf], y0, h)`

where  $t_0$  and  $t_f$  are the initial and final values of  $t$  and  $h$  = step size.

(Your version of MATLAB may not utilize brackets. Type **help eul** to find out.) To approximate the actual solution to the IVP at  $t_f$ , with given  $h$ , using **eul**, just type the following at a MATLAB prompt:

```
>> [t,y]=eul('fcn1', [t0, tf], y0, h);
```

The approximations  $y_0, y_1, y_2, \dots, y_n$  are stored in the matrix **y**.

To print them out type : `[t,y]`

To plot them, type : `plot(t,y)`