### $\underline{\mathrm{MA}}$ 16010 - Exam 1 Practice Exam 1

- 1. Which function below has a period of  $4\pi$ , a maximum of 25.5 and a minimum of 19.5?
  - A.  $y = -3\sin 0.5x + 19.5$
  - B.  $y = 3\cos 0.5x + 25.5$
  - C.  $y = -3\sin 0.5\pi x 22.5$
  - D.  $y = 3\cos 2x 19.5$
  - E.  $y = 3\cos 0.5x + 22.5$

- 2. Find the domain of  $f(x) = \frac{3x}{2e^x 4e^{-x}}$ .
  - A.  $(-\infty, \ln 2) \cup (\ln 2, \infty)$
  - B.  $(-\infty, \frac{1}{2} \ln 2) \cup (\frac{1}{2} \ln 2, \infty)$
  - C.  $(-\infty, \ln 4) \cup (\ln 4, \infty)$
  - D.  $(-\infty, \ln \frac{1}{2}) \cup (\ln \frac{1}{2}, \infty)$
  - E.  $(-\infty, 2 \ln \frac{1}{2}) \cup (2 \ln \frac{1}{2}, \infty)$

## $\operatorname{MA}$ 16010 - Exam 1 Practice Exam 1

- 3. Find all real solutions of the equation  $\sin(3x) = -\frac{1}{2}$ .
  - A.  $\frac{7\pi}{18} + \frac{2\pi n}{3}, \frac{11\pi}{18} + \frac{2\pi n}{3}$ ; *n* is an integer
  - B.  $\frac{21\pi}{6} + \frac{2\pi n}{3}, \frac{33\pi}{6} + \frac{2\pi n}{3}; n \text{ is an integer}$
  - C.  $\frac{7\pi}{18} + 2\pi n, \frac{11\pi}{18} + 2\pi n; n \text{ is an integer}$
  - D.  $\frac{7\pi}{9} + 2\pi n, \frac{11\pi}{9} + 2\pi n; n \text{ is an integer}$
  - E.  $\frac{5\pi}{18} + \frac{2\pi n}{3}, \frac{7\pi}{18} + \frac{2\pi n}{3}$ ; *n* is an integer

4. Find the limit:

$$\lim_{x \to 2} \frac{\sqrt{4x+8}}{x^2+1}$$

- A.  $\frac{4}{5}$
- B. 1
  C.  $\frac{16}{5}$ D. 4
  E.  $\frac{2}{3}$

### MA 16010 - Exam 1 Practice Exam 1

5. 
$$f(x) = \begin{cases} x+2 & : x < -1 \\ -x-2 & : x \ge -1 \end{cases}$$

Choose the number of correct statements below.

- I. f is not continuous at x = -1.
- II.  $\lim_{x \to -1^+} f(x) = 1$ .
- III.  $\lim_{x \to -1} f(x) = 1.$
- IV.  $\lim_{x \to -1^{-}} f(x) \neq \lim_{x \to -1^{+}} f(x)$ .
- A. None of the above statements is true.
- B. Only one of the above statements is true.
- C. Only two of the above statements are true.
- D. Only three of the above statements are true.
- E. All of the above statements are true.

6. Which of the following function has a **non-removable** discontinuity at x = -3?

A. 
$$y = x + 3$$

B. 
$$y = \frac{x^2 + 3x}{x + 3}$$

C. 
$$y = \frac{x+3}{x-3}$$

D. 
$$y = \frac{x+3}{3-x}$$

E. 
$$y = \frac{x-3}{x^2-9}$$

# MA 16010 - Exam 1 Practice Exam 1

7. A ball is thrown straight up from the top of a 64-foot building with an initial velocity of 32 feet per second. Use the position function below for free-falling objects and find its velocity after 2 seconds.

$$s(t) = -16t^2 + v_0t + s_0$$

- A. -32 ft/sec
- B. 64 ft/sec
- C. -16 ft/sec
- D. 48 ft/sec
- E. -64 ft/sec

- 8. Which of following does **NOT** equal to positive infinity  $(+\infty)$ ?
  - A.  $\lim_{x \to 0} \frac{1}{x^2}$

  - B.  $\lim_{x \to 1^+} \frac{1}{x-1}$ C.  $\lim_{x \to 3^+} \frac{x}{\sqrt{x^2-9}}$
  - $\text{D. } \lim_{x \to 2^-} \frac{x+2}{x-2}$
  - E.  $\lim_{x \to 1} \frac{1}{(x-1)^2}$

### MA 16010 - Exam 1 Practice Exam 1

9. A student used the limit process to find the derivative of  $f(x) = \frac{x^2}{2}$  and his work is shown below. Which of the following statements is true?

$$f'(x) = \lim_{h \to 0} \frac{\frac{(x+h)^2}{2} - \frac{x^2}{2}}{h}$$

$$= \lim_{h \to 0} \frac{x^2 + 2xh + h^2 - x^2}{2h}$$
(2)

$$= \lim_{h \to 0} \frac{x^2 + 2xh + h^2 - x^2}{2h} \tag{2}$$

$$= \lim_{h \to 0} \frac{2xh + h^2}{2h}$$

$$= \lim_{h \to 0} (x + h^2)$$
(3)
(4)

$$= \lim_{h \to 0} (x + h^2) \tag{4}$$

$$= x$$
 (5)

- A. He made a mistake in Line (1).
- B. He made a mistake in Line (2).
- C. He made a mistake in Line (3).
- D. He made a mistake in Line (4).
- E. He made a mistake in Line (5).

- 10. Find the equation of the tangent line to the graph of  $g(x) = \frac{x^2 + 32\sqrt{x}}{8}$  at x = 4.
  - A. y = 5x 30
  - B. y = 2x + 2
  - C. y = 5x 10
  - D. y = 2x 18
  - E. y = 2x + 10

## $\underline{\mathrm{MA}}$ 16010 - Exam 1 Practice Exam 1

- 11. Find the derivative of  $y = (\sin x + \tan x)e^x$ .
  - A.  $y' = (\cos x + \sec^2 x)e^x$
  - B.  $y' = (\sin x + \cos x + \tan x + \sec x)e^x$
  - C.  $y' = (\sin x + \cos x + 2 \tan x)e^x$
  - D.  $y' = (\sin x + \cos x + \tan x + \sec^2 x)e^x$
  - E.  $y' = (\sin x + \cos x + \tan x + \sec x \tan x)e^x$

12. The population P, in thousands, of a small city is given by

$$P(t) = 10 + \frac{50t}{2t^2 + 9}$$

where t is the time in years. What is the rate of change of the population at t = 2 yr? Round your answer to the third decimal place.

- A. -1.557 thousand per year
- B. 3.214 thousand per year
- C. 0.173 thousand per year
- D. 2.941 thousand per year
- E. 5.882thousand per year