

Study Guide for Exam 2

1. You are supposed to know how to compute the integration of the form

$$(1) \int \sin^m x \cos^n x \, dx$$

$$(2) \int \tan^m x \sec^n x \, dx$$

Example Problems

- Compute the following integrals:

$$\int \sin^3 x \cos^3 x \, dx$$

$$\int \sin^4 x \cos^2 x \, dx$$

$$\int \sec^4 x \tan^2 x \, dx$$

$$\int \sec^3 \tan x \, dx$$

$$\int \sec^3 x \, dx.$$

- Compute $\int \sec x \, dx = \int \frac{1}{\cos^2 x} \cos x \, dx = \int \frac{1}{1 - \sin^2 x} \cos x \, dx$ using the substitution $u = \sin x$ and then using the partial fraction.

2. You are supposed to know how to use the 3 types of trigonometric substitution, and carry out the integration accordingly.

$$(1) \sqrt{a^2 - x^2}, u = a \sin \theta, du = a \cos \theta, \sqrt{a^2 - x^2} = a \cos \theta,$$

$$(2) \sqrt{a^2 + x^2}, u = a \tan \theta, du = a \sec^2 \theta, \sqrt{a^2 + x^2} = a \sec \theta,$$

$$(3) \sqrt{x^2 - a^2}, u = a \sec \theta, du = a \tan \theta \sec \theta, \sqrt{x^2 - a^2} = a \tan \theta.$$

Example Problems

- Compute the following integrals:

$$\int \sqrt{7x^2 + 1} \, dx$$

$$\int \frac{x}{\sqrt{3 - 2x - x^2}} dx$$

$$\int \sqrt{5 - 4x^2} \, dx$$

3. You are supposed to know
- the proper form of the partial fractions,
 - how to determine the appropriate constants appearing in the partial fraction,
 - how to compute the integral accordingly.

Example Problems

- Compute the following integrals:

$$\int \frac{x^2}{(x-1)^2} dx$$

$$\int \frac{x+2}{x^2+2x+2} dx$$

$$\int \frac{x}{(x+1)(x-1)(x-2)} dx$$

$$\int \frac{x^2}{(x-1)^2(x^2+1)} dx$$

4. You are supposed to know how to compute the arc length by the formula

$$L = \int_a^b \sqrt{1 + \left(\frac{dy}{dx}\right)^2} dx = \int_c^d \sqrt{1 + \left(\frac{dx}{dy}\right)^2} dy.$$

Example Problems

- Problems 9 and 11 in Section 8.1 on Page 549 of the textbok
5. You are supposed to know how to compute the area of the surface obtained
- (1) by rotating the curve around the x -axis

$$S = \int_a^b 2\pi y \sqrt{1 + \left(\frac{dy}{dx}\right)^2} dx = \int_c^d 2\pi y \sqrt{1 + \left(\frac{dx}{dy}\right)^2} dy$$

- (2) or, by rotating the curve around the y -axis

$$S = \int_a^b 2\pi x \sqrt{1 + \left(\frac{dy}{dx}\right)^2} dx = \int_c^d 2\pi x \sqrt{1 + \left(\frac{dx}{dy}\right)^2} dy.$$

Example Problems

- Webassign HW 17 Problems 5, 7, 8

6. You are supposed to be able to approximate the value of the integration using the following 3 methods

- Midpoint rule,
- Trapezoidal rule,
- Simpson's rule.

Example Problems

- Webassign HW 16 Problems 5, 6

7. You are supposed to know why a given improper integral is improper, and accordingly to be able to determine if the given improper integral is convergent/divergent. In case it is convergent, you should be able to compute its value.

Example Problems

- Evaluate the following improper integrals

$$\int_0^{\infty} \frac{e^x}{e^{2x} + 1} dx$$

$$\int_0^9 \frac{1}{x-1} dx$$

$$\int_0^9 \frac{1}{\sqrt[3]{x-1}} dx$$

$$\int_{-\infty}^{\infty} x dx$$

$$\int_{-\infty}^{\infty} x e^{-x^2} dx$$

8. You are supposed to be able to compute the coordinates (\bar{x}, \bar{y}) of the centroid of a given figure.

$$\bar{x} = \frac{\int_a^b x \{f(x) - g(x)\} dx}{\int_a^b \{f(x) - g(x)\} dx},$$

$$\bar{y} = \frac{\int_a^b \frac{1}{2} \{f(x)^2 - g(x)^2\} dx}{\int_a^b \{f(x) - g(x)\} dx}.$$

Example Problems

- Webassign HW 18 Problems 4,5,6
- Example 4 of Section 8.3 on Page 563 of the textbook
- Find the centroid of the region D bounded by the curves $y = x^3$, $x + y = 2$, and $x = 0$. (Note that this one is different from the one in Webassign.)

9. You are supposed to be able to determine if a given sequence is convergent/divergent. In case it is convergent, you should be able to compute its limit.

Example Problems

- Webassign HW 19 Problems 7,8,9,10, 11