

MA 16500
EXAM 2 INSTRUCTIONS
VERSION 01
October 16, 2024

Your name _____ Your TA's name _____

Student ID # _____ Section # and recitation time _____

1. You must use a #2 pencil on the scantron sheet (answer sheet).
2. Check that the cover of your exam booklet is GREEN and that it has VERSION 01 on the top. Write 01 in the TEST/QUIZ NUMBER boxes and blacken in the appropriate spaces below.
3. On the scantron sheet, fill in your **TA's name, i.e., the name of your recitation instructor (NOT the lecturer's name)** and the course number.
4. Fill in your NAME and PURDUE ID NUMBER, and blacken in the appropriate spaces.
5. Fill in the four-digit **SECTION NUMBER**. Your section number is a 3 digit number. Put 0 at the front to make it a 4 digit number, and then fill it in.
6. **Sign the scantron sheet.**
7. Blacken your choice of the correct answer in the space provided for each of the questions 1–12. While mark all your answers on the scantron sheet, you should show your work on the exam booklet. Although no partial credit will be given, any disputes about the grade or grading will be settled by examining your written work on the exam booklet.
8. There are 12 questions, 8 of which are worth 8 points and 4 of which are worth 10 points. The maximum possible score is
$$8 \text{ questions} \times 8 \text{ points} + 4 \text{ questions} \times 10 \text{ points} = 104 \text{ points}.$$
9. NO calculators, electronic device, books, or papers are allowed. Use the back of the test pages for scrap paper.
10. After you finish the exam, turn in BOTH the scantron sheet and the exam booklet.
11. If you finish the exam before 7:25, you may leave the room after turning in the scantron sheet and the exam booklet. If you don't finish before 7:25, you should REMAIN SEATED until your TA comes and collects your scantron sheet and exam booklet.

Exam Policies

1. There is no individual seating. Just follow TAs' seating instructions.
2. Students may not open the exam until instructed to do so.
3. No student may leave in the first 20 min or in the last 5 min of the exam.
4. Students late for more than 20 min will not be allowed to take the exam; they will have to contact their lecturer within one day for permission to take a make-up exam.
5. After time is called, the students have to put down all writing instruments and remain in their seats, while the TAs/proctors will collect the scantron sheet and the exam booklet.
6. Any violation of the above rules may result in score of zero.

Rules Regarding Academic Dishonesty

1. You are not allowed to seek or obtain any kind of help from anyone to answer questions on the exam. If you have questions, consult only your instructor.
2. You are not allowed to look at the exam of another student. You may not compare answers with anyone else or consult another student until after you have finished your exam, handed it in to your instructor and left the room.
3. You may not consult notes, books, calculators. You may not handle cell phones or cameras, or any electronic devices until after you have finished your exam, handed it in to your instructor/proctor and left the room.
4. Anyone who violates these instructions will have committed an act of academic dishonesty. Penalties for academic dishonesty can be very severe and may include an F in the course. All cases of academic dishonesty will be reported immediately to the Office of the Dean of Students.


I have read and understand the exam policies and the rules regarding the academic dishonesty stated above:

STUDENT NAME: _____


STUDENT SIGNATURE: _____

Questions

1. (8 points) Let $f(x)$ and $g(x)$ be two differentiable functions with the following graphs.



Graph of $f(x)$



Graph of $g(x)$

The dashed lines in the figures are tangent to the graphs at the indicated points. What is the derivative of $\{g(f(1-x))\}^2$ at $x = 2$?

- A. -1
- B. 3
- C. -3
- D. $\frac{3}{2}$
- E. $-\frac{3}{2}$

2. (8 points) Suppose that

$$F(x) = \frac{1}{g(f^{-1}(x))}$$

and that the functions f (which is one-to-one, and hence has its inverse) and g satisfy the following conditions.

$$\begin{cases} f(3) &= 5 \\ f'(3) &= 7 \\ g(3) &= 2 & g(5) &= 4 \\ g'(3) &= 11 & g'(5) &= 9. \end{cases}$$

Find $F'(5)$.

- A. $\frac{11}{28}$
- B. $-\frac{11}{28}$
- C. $\frac{11}{4}$
- D. $-\frac{11}{14}$
- E. $\frac{11}{7}$

3. (8 points) A particle moves along a coordinate axis in such a way that its position is described by

$$s(t) = 2 \sin(t) + \sqrt{2}t$$

for $0 < t < 2\pi$.

At what time(s) t in between 0 and 2π does the particle's movement change from going forward to going backwards ? That is to say, when does the particle's velocity change from positive to negative ?

Select the answer that includes *all* such time(s).

- A. $t = \frac{\pi}{4}, \frac{7\pi}{4}$
- B. $t = \frac{3\pi}{4}, \frac{5\pi}{4}$
- C. $t = \frac{3\pi}{4}$
- D. $t = \frac{5\pi}{4}$
- E. $t = \frac{\pi}{2}, \frac{3\pi}{2}$

4. (8 points) What is the slope of the line tangent to the curve implicitly defined by

$$3x^2y + \pi \cos(xy) = 2\pi$$

in the xy -plane at the point $(1, \pi)$?

- A. -2π
- B. 2π
- C. -3
- D. 3
- E. The tangent line is vertical.

5. (8 points) Compute the following limit

$$\lim_{h \rightarrow 0} \frac{\sin\left(\frac{\pi}{2} + h\right)^h - 1}{h}.$$

A. 0

B. 1

C. -1

D. $\frac{\pi}{2}$

E. $\frac{\sqrt{3}}{2}$

6. (8 points) Which of the following is the result of differentiating

$$f(x) = (x + 6)^{\sin(x)} \text{ ?}$$

A. $f'(x) = \ln(x + 6) \cdot (x + 6)^{\sin(x)}$

B. $f'(x) = \sin(x)(x + 6)^{\sin(x)-1}$

C. $f'(x) = (x + 6)^{\sin(x)} \left[\cos(x) \ln(x + 6) + \frac{\sin(x)}{x + 6} \right]$

D. $f'(x) = (x + 6)^{\sin(x)} [\ln(x + 6) + \sin(x)]$

E. $f'(x) = \cos(x) \ln(x + 6) + \frac{\sin(x)}{x + 6}$

7. (8 points) Which of the following is the result of differentiating

$$f(x) = \cos(\sin^{-1}(2x)) \text{ ?}$$

A. $f'(x) = 2x$

B. $f'(x) = -2x$

C. $f'(x) = \frac{2x}{\sqrt{1-4x^2}}$

D. $f'(x) = -\frac{4x}{\sqrt{1-4x^2}}$

E. $f'(x) = \frac{4x}{\sqrt{1-4x^2}}$

8. (8 points) Compute

$$\frac{1}{y} \cdot \frac{dy}{dx}$$

when the function y is given by the following formula:

$$y = \frac{(x^2 + 1)^3 \cdot \sqrt[5]{7x - 1}}{\ln(1 - x^2)}.$$

A. $\frac{3}{x^2 + 1} + \frac{1}{5(7x - 1)} - \frac{1}{\ln(1 - x^2)}$

B. $\frac{6x}{x^2 + 1} + \frac{7}{5(7x - 1)} + \frac{2x}{(1 - x^2)}$


C. $\frac{6x}{x^2 + 1} + \frac{7}{5(7x - 1)} + \frac{2x}{(1 - x^2) \ln(1 - x^2)}$

D. $\frac{2x}{x^2 + 1} + \frac{7}{(7x - 1)} - \frac{\ln(1 - x^2)}{\ln[\ln(1 - x^2)]}$

E. $\frac{6x}{x^2 + 1} + \frac{7}{5(7x - 1)} - \frac{2x}{\ln(1 - x^2)}$

9. (10 points) A 10 ft long ladder is leaned against a wall. The base of the ladder slides away from the wall at a rate of 12 ft/sec.

What is the rate of change of the angle θ formed by the ladder with the ground when the base of the ladder is 8 ft from the wall?




- A. -1 rad/sec
- B. -2 rad/sec
- C. 4 rad/sec
- D. $\frac{2}{5}$ rad/sec
- E. $-\frac{1}{2}$ rad/sec

10. (10 points) A plane is flying directly away from a bicyclist at 850 mph at an altitude of 8 miles. What is the rate of change of the distance between the plane and the bicyclist at the moment when the distance is 17 miles?
- A. 750 mph
 - B. 50 mph
 - C. 125 mph
 - D. 85 mph
 - E. 65 mph

11. (10 points) Suppose that a water tank has the shape of an inverted circular cone with radius 2 m and height 10 m. When the water is 4 m deep in the tank, the depth of the water is increasing at a rate of 1 m/sec.

What is the rate at which the volume of the water in the tank is increasing at the same time ?



(HINT: The volume V of a reversed circular cone with radius r for the top circle and height h is given by $V = \frac{1}{3}\pi r^2 h$.)

- A. $\frac{16}{25}\pi \text{ m}^3/\text{min}$
- B. $\frac{3}{5}\pi \text{ m}^3/\text{min}$
- C. $\frac{8}{15}\pi \text{ m}^3/\text{min}$
- D. $\frac{9}{8}\pi \text{ m}^3/\text{min}$
- E. $\frac{1}{8}\pi \text{ m}^3/\text{min}$

12. (10 points) Water is falling on a surface, wetting a circular area that is expanding at a rate of $9 \text{ mm}^2/\text{sec}$.

How fast is the radius of the wet area expanding when the radius is 135 mm ?

- A. $\frac{2\pi}{9} \text{ mm/sec}$
- B. $\frac{1}{15\pi} \text{ mm/sec}$
- C. $\frac{1}{9\pi} \text{ mm/sec}$
- D. $\frac{1}{45\pi} \text{ mm/sec}$
- E. $\frac{1}{30\pi} \text{ mm/sec}$