NAME	Page 1	/20
10-digit PUID	Page 2	/40
RECITATION INSTRUCTOR	Page 3	/16
	Page 4	/24
RECITATION TIME	TOTAL	/100

DIRECTIONS

- 1. Write your name, 10-digit PUID, recitation instructor's name and recitation time in the space provided above. Also write your name at the top of pages 2, 3 and 4.
- 2. The test has four (4) pages, including this one.
- 3. Write your answers in the boxes provided.
- 4. You must show sufficient work to justify all answers unless otherwise stated in the problem. Correct answers with inconsistent work may not be given credit. Please write neatly. Remember, if we cannot read your work and follow it logically, you may receive no credit.
- 5. Credit for each problem is given in parentheses in the left hand margin.
- 6. No books, notes, calculators, or any electronic devices may be used on this exam.
- (10) 1. Find the absolute maximum and absolute minimum values of the function $f(x) = (x^2 3)e^{-x}$ on the interval [0, 4].


abs. max.
$$f(\)=$$
 abs. min. $f(\)=$


(10) 2. Find all numbers c that satisfy the conclusion of the Mean Value Theorem for the function $f(x) = x^3 - 6x$ on the interval [-2, 2].


Name: _____

(30) 3. Find each of the following as a real number, $+\infty$, $-\infty$, or write DNE (does not exist).


(a)
$$\lim_{x \to 0} \frac{x + \sin x}{x + \cos x}$$
.








(e)	$\lim_{x\to 0^+}$	(1 +	$-2x)^{\frac{3}{x}}$



(10) 4. If 1200cm^2 of material is available to make a box with square base and an open top, find the largest possible volume of the box. (Let x be the length of an edge of the base and y be the height).

Name: _____

(16) 5. Let $f(x) = \frac{2-x^2}{(x+1)^2}$. Give all the requested information and sketch the graph of the function on the axes below. Give both coordinates of the intercepts, local extrema and points of inflection, and give an equation for each asymptote. Write NONE where appropriate.



domain intercepts symmetry

horizontal asymptotes

vertical asymptotes

intervals of increase

intervals of decrease

local maxima

local minima

intervals of concave down


intervals of concave up

points of inflection

Name: _____

(10) 6. Find the area of the largest rectangle that can be inscribed in a right triangle with legs of lengths 3cm and 4cm if two sides of the rectangle lie along the legs. (Place the vertices of the triangle at the points (0,0), (4,0) and (0,3) of the (x,y)-plane).

velocity is v(0) = 0 and its initial position is s(0) = 0. Find its position function s(t).



s(t) =

(5) 8. Evaluate the integral $\int_{0}^{10} |x-5| dx$ by interpreting it in terms of areas.

(4) 9. Find the most general antiderivative of $f(x) = \sqrt[4]{x^3} + \sqrt[3]{x^4}$.