Finding Limits Numerically

The *limit* of a function is the value a function approaches as x approaches a particular value. If $f(x)$ approaches L as x approaches c, we say the limit of $f(x)$ as x approaches c is L, and we write $\lim_{x\to c} f(x) = L$. Think: As the x-values get closer to c, the y-values ($y = f(x)$) get closer to L.

Example 1: If $f(x) = x$ and $c = 3$, find $\lim_{x\to c} f(x)$.



Limits Come in Four Flavors

1. L: a finite value
2. ∞: The function gets bigger and bigger as x approaches c.
3. $-\infty$: The function gets smaller and smaller as x approaches c.
4. Does Not Exist (DNE): The function doesn't approach a specific value as x approaches c.

We can estimate the limit of a function by evaluating the function at numbers close to c.

Example 2: Find the following limit numerically.

$$\lim_{x\to 0} \frac{6x}{x^2+3x} =$$

x	-0.01	-0.001	-0.0001	0	0.0001	0.001	0.01
$f(x)$				$-$			

Notice that $f(x)$ need not be defined at the point c in order to find the limit!

Example 3: Find the following limit numerically.

$$\lim_{x\to -3} \frac{7}{(x+3)^2} =$$

x	-3.01	-3.001	-3.0001	-3	-2.9999	-2.999	-2.99
$f(x)$				$-$			

One-Sided Limits

- Left-Sided Limit: $\lim_{x\to c^-} f(x)$; Only look at values of x that are less than (to the left of) c.
- Right-Sided Limit: $\lim_{x\to c^+} f(x)$; Only look at values of x that are greater than (to the right of) c.

Be careful to notice the difference between limits at negative numbers and left-sided limits. $\lim_{x\to -c} f(x)$ is generally not the same as $\lim_{x\to c^-} f(x)$.

Example 4: Find the following limits numerically.

$$\lim_{x\to 2^-} \frac{3}{x-2} = \qquad \lim_{x\to 2^+} \frac{3}{x-2} = \qquad \lim_{x\to 2} \frac{3}{x-2} =$$

x	1.99	1.999	1.9999	2	2.0001	2.001	2.01
$f(x)$				–			

If you are only asked to find one of the one-sided limits, you only need to create the appropriate half of the chart.

Example 5: Find the following limits numerically.

$$\lim_{x\to 0^-} f(x) = \qquad \lim_{x\to 0^+} f(x) = \qquad \lim_{x\to 0} f(x) =$$

where

$$f(x) = \begin{cases} 3\sin(x) & x < 0 \\ 2x & x \geq 0 \end{cases}$$

x	-0.01	-0.001	-0.0001	0	0.0001	0.001	0.01
$f(x)$				–			

Fact

$\lim_{x\to c} f(x) = L$ if and only if $\lim_{x\to c^-} f(x) = \lim_{x\to c^+} f(x) = L$.
* Here we allow $L = \pm\infty$.

Finding Limits Graphically

We can also determine the limit of a function by looking at its graph.

<u>Example 2 Revisited:</u>

$$\lim_{x \to 0} \frac{6x}{x^2 + 3x} = 2$$



<u>Example 3 Revisited:</u>

$$\lim_{x \to -3} \frac{7}{(x+3)^2} = \infty$$



<u>Example 4 Revisited:</u>

$$\lim_{x \to 2} \frac{3}{x-2} = \text{DNE}$$



<u>Example 6:</u> Find the following limits and function values graphically.

$$\lim_{t \to 2^-} f(t) = \qquad \lim_{t \to 4^-} f(t) =$$

$$\lim_{t \to 2^+} f(t) = \qquad \lim_{t \to 4^+} f(t) =$$

$$\lim_{t \to 2} f(t) = \qquad \lim_{t \to 4} f(t) =$$

$$f(2) = \qquad f(4) =$$



Example 7: Find the following limits and function values graphically.

$$\lim_{x\to -3^-} f(x) = \qquad \lim_{x\to 2^-} f(x) = \qquad \lim_{x\to 5^-} f(x) =$$

$$\lim_{x\to -3^+} f(x) = \qquad \lim_{x\to 2^+} f(x) = \qquad \lim_{x\to 5^+} f(x) =$$

$$\lim_{x\to -3} f(x) = \qquad \lim_{x\to 2} f(x) = \qquad \lim_{x\to 5} f(x) =$$

$$f(-3) = \qquad f(2) = \qquad f(5) =$$



DIY

1. Find the following limits and function values graphically.

$$\lim_{x\to -2^-} f(x) = \qquad \lim_{x\to 1^-} f(x) =$$

$$\lim_{x\to -2^+} f(x) = \qquad \lim_{x\to 1^+} f(x) =$$

$$\lim_{x\to -2} f(x) = \qquad \lim_{x\to 1} f(x) =$$

$$f(-2) = \qquad f(1) =$$