

Please show **all** your work! Answers without supporting work will not be given credit.
Write answers in spaces provided.

Name: _____

1. Evaluate the indefinite integral.

$$\int 18x \cos(x^2) dx$$

$$\int 18x \cos(x^2) dx = \underline{\hspace{10em}}$$

2. Evaluate the indefinite integral.

$$\int 11x^2 e^{-4x^3} dx$$

$$\int 11x^2 e^{-4x^3} dx = \underline{\hspace{10em}}$$

-
3. A forestry company estimates that acres of forest available for logging will increase at a rate given by $R'(t) = \frac{56}{\sqrt{t+7}}$ for $0 \leq t \leq 20$ where $R'(t)$ is the rate of new acreage becoming available in thousands of acres per year, t years after the current year. How many acres of forest will become available for logging over the first 5 years? Round your answer to the nearest thousand acres.

Answer: _____

4. Find the area under the curve $y = 7 \cos(4x)$ for $0 \leq x \leq \pi/2$.

Area = _____

5. Evaluate the indefinite integral

$$\int \frac{\ln(7x)}{x} dx$$

$$\int \frac{\ln(7x)}{x} dx = \underline{\hspace{10em}}$$

6. Evaluate the definite integral.

$$\int_1^e \frac{\ln(x)}{x} dx$$

$$\int_1^e \frac{\ln(x)}{x} dx = \underline{\hspace{10em}}$$

7. Evaluate the indefinite integral.

$$\int x^3 \ln(9x) dx$$

$$\int x^3 \ln(9x) dx = \underline{\hspace{10em}}$$

8. Evaluate

$$\int 3x \ln(x^6) dx$$

$$\int 3x \ln(x^6) dx = \underline{\hspace{10em}}$$

9. Evaluate the indefinite integral.

$$\int 20x \sin(2x) dx$$

$$\int 20x \sin(2x) dx = \underline{\hspace{10em}}$$

10. Evaluate the indefinite integral.

$$\int 18x \cos(3x) dx$$

$$\int 18x \cos(3x) dx = \underline{\hspace{10em}}$$

-
11. Which of the following is a partial fraction decomposition of the rational expression show? Do not explicitly solve for the constant.

$$f(x) = \frac{7x - 5}{x^2(x^2 + 9)}$$

(A) $\frac{A}{x} + \frac{B}{x} + \frac{Cx + D}{x^2 + 9}$

(B) $\frac{A}{x} + \frac{B}{x^2} + \frac{Cx + D}{x^2 + 9}$

(C) $\frac{A}{x} + \frac{Bx + C}{x^2} + \frac{Dx + E}{x^2 + 9}$

(D) $\frac{Ax + B}{x^2} + \frac{Cx + D}{x^2 + 9}$

(E) $\frac{A}{x} + \frac{B}{x^2} + \frac{C}{x + 3} + \frac{D}{x - 3}$

(F) $\frac{Ax + B}{x^2} + \frac{C}{x + 3} + \frac{D}{x - 3}$

12. Which of the following is a partial fraction decomposition of the rational expression show? Do not explicitly solve for the constant.

$$f(x) = \frac{2x}{(x - 1)^2(x^2 + 5)}$$

(A) $\frac{A}{x - 1} + \frac{Bx + C}{(x - 1)^2} + \frac{D}{x^2 + 5}$

(B) $\frac{A}{(x - 1)^2} + \frac{Bx + C}{x^2 + 5}$

(C) $\frac{A}{x - 1} + \frac{B}{(x - 1)^2} + \frac{Cx + D}{x^2 + 5}$

(D) $\frac{A}{x - 1} + \frac{Bx + C}{(x - 1)^2} + \frac{Dx + E}{x^2 + 5}$

(E) $\frac{A}{x - 1} + \frac{Bx + C}{x^2 + 5}$

(F) $\frac{Ax + B}{(x - 1)^2} + \frac{Cx + D}{x^2 + 5}$

13. Evaluate the improper integral or state that it is divergent.

$$\int_3^{\infty} \frac{4}{x^5} dx$$

$$\int_3^{\infty} \frac{4}{x^5} dx = \underline{\hspace{10cm}}$$

14. Evaluate the following integral;

$$\int_0^{\infty} e^{-x/6} dx$$

$$\int_0^{\infty} e^{-x/6} dx = \underline{\hspace{10cm}}$$

15. Evaluate the definite integral.

$$\int_2^{\infty} \frac{dx}{3x+1}$$

$$\int_2^{\infty} \frac{dx}{3x+1} = \underline{\hspace{10cm}}$$

16. Set up the integral that represents the **AREA** of the region bounded by the following curves:

$$y = \frac{1}{2}x^2, \quad y = -x^2 + 6$$

$$\text{Area} = \underline{\hspace{10cm}}$$

17. Find the **AREA** of the region bounded by $y = 2x - x^2$ and $y = x^2$.

Area = _____

18. Find the **VOLUME** of the solid that results by revolving the region enclosed by the following curves about the x -axis.

$$y = 3x, x = 1, x = 4, \text{ and } y = 0$$

Volume = _____

19. Find the **VOLUME** of the solid generated by rotating the region bounded by

$$y = x + 2, \quad x = 0, \quad y = 6$$

around the y-axis

Volume = _____

20. **SET-UP using the washer method.** the **VOLUME** of the region bounded by

$$y = x^2, \quad y = 2x$$

around the x-axis

(A) $\pi \int_0^2 (2x - x^2)^2 dx$

(B) $\pi \int_0^2 (4x^2 - x^4) dx$

(C) $\pi \int_0^2 (2x - x^2) dx$

(D) $\pi \int_0^2 (x^2 - 2x) dx$

(E) $\pi \int_0^2 (x^4 - 4x^2) dx$

(F) $2\pi \int_0^2 (x^3 - 2x^2) dx$

-
21. Set-up the definite integral that would calculate the **VOLUME** of the region bounded by the following curves when rotated about the x -axis.

$$y = 5x \text{ and } y = 15\sqrt{x}$$

VOLUME = _____

22. Find the **VOLUME** of the solid obtained by revolving the region bounded by the following curves about the y -axis.

$$x + 2y = 4, x = 0, \text{ and } y = 0$$

VOLUME = _____

23. Find the general solution of the given differential equation.

$$\frac{dy}{dx} = \frac{4x}{y}$$

$y =$ _____

24. Find the particular solution to the given differential equation if $y(2) = 3$

$$\frac{dy}{dx} = \frac{x}{y^2}$$

$y =$ _____

25. Find the particular solution of the equation.

$$\frac{dy}{dx} - 5y = 0, y(1) = 7$$

$y =$ _____

26. The rate of change of the population $N(t)$ of a sample of bacteria is directly proportional to the number of bacteria, so $N'(t) = kN$, where time t is measured in minutes. Initially, there are 270 bacteria present. If the number of bacteria after 7 minutes is 770, find the growth rate k in terms of minutes. Round to four decimal places.

$k =$ _____

27. What is the **integrating factor** of the following differential equation?

$$y' + \left(\frac{2x+3}{x}\right)y = 10 \ln(x)$$

$$u(x) = \underline{\hspace{10cm}}$$

28. Find the general solution of the following differential equation.

$$\frac{dy}{dx} + \frac{4y}{x} = 2x + 20$$

$$y = \underline{\hspace{10cm}}$$

29. Compute the following sum.

$$\sum_{n=0}^{\infty} \left(\frac{(-1)^n}{3^n} + \frac{2^{n+1}}{3^n} \right)$$

Answer: _____

30. Evaluate the sum of the following infinite series.

$$\sum_{n=1}^{\infty} \frac{4(3)^{n-1}}{5^n}$$

Answer: _____

31. Find the sum of the following series:

$$\sum_{n=0}^{\infty} \frac{(-2)^n}{3^{2n+1}}$$

Answer: _____

32. Express $f(x) = \frac{x}{3+x}$ as a power series.

$$\frac{x}{3+x} = \underline{\hspace{10em}}$$

33. Express $f(x) = \frac{x}{4 + 3x^2}$ as a power series.

$$\frac{x}{4 + 3x^2} = \underline{\hspace{10cm}}$$

34. What are the first 3 non-zero terms of the Maclaurin series representation of the follow?

$$\int e^{-3x} dx$$

$$\int e^{-3x} dx = \underline{\hspace{10cm}}$$

35. Find the Maclaurin representation of the following:

$$\int \cos(\sqrt{x}) dx$$

$$\int \cos(\sqrt{x}) dx = \underline{\hspace{10cm}}$$

36. Given $f(x, y) = 3x^3y^2 - x^2y^{1/3}$, evaluate $f(3, -8)$.

$$f(3, -8) = \underline{\hspace{10cm}}$$

37. What do the level curves for the following function look like?

$$f(x, y) = 12 \ln(6(x - 3)^2 + 6(y - 2)^2)$$

- (a) Lines
- (b) Parabolas
- (c) Circles
- (d) Point at the origin
- (e) Ellipses
- (f) Hyperbolas

38. What do the level curves for the following function look like?

$$f(x, y) = \sqrt{y + 4x^2}$$

- (a) Lines
- (b) Parabolas
- (c) Circles
- (d) Point at the origin
- (e) Ellipses
- (f) Hyperbolas

39. What do the level curves for the following function look like?

$$f(x, y) = \ln(y - e^{5x})$$

- (a) Increasing exponential functions
- (b) Rational Functions with x-axis symmetry
- (c) Natural logarithm functions
- (d) Decreasing exponential functions
- (e) Rational Functions with y-axis symmetry

40. What do the level curves for the following function look like?

$$f(x, y) = \cos(y + 4x^2)$$

- (a) Lines
- (b) Parabolas
- (c) Circles
- (d) Point at the origin
- (e) Ellipses
- (f) Hyperbolas

41. Given $f(x, y) = x \sin(xy^2)$, evaluate $f_y(3, 7)$. Round to 4 decimal places.

$$f_y(3, 7) = \underline{\hspace{10cm}}$$

42. Find the first order partial derivatives of $f(x, y) = xe^{xy}$

$$f_x(x, y) = \underline{\hspace{10cm}}$$

$$f_y(x, y) = \underline{\hspace{10cm}}$$

43. For the given function $f(x, y)$, find $f_x(x, y)$.

$$f(x, y) = 5 \cos(x^7 y^8)$$

$$f_x(x, y) = \underline{\hspace{10cm}}$$

44. Given the function $f(x, y) = x^3 y^2 - 3x + 5y - 5x^2 y^3$, compute $f_{xx}(x, y)$

$$f_{xx}(x, y) = \underline{\hspace{10cm}}$$

45. Given the function $f(x, y) = x^3 \sin(y)$, compute $f_{xy}(2, 0)$

$$f_{xy}(2, 0) = \underline{\hspace{10cm}}$$

46. For the function $f(x, y)$, find $f_{xy}(\pi, 2)$.

$$f(x, y) = 8y^5 \sin(x)$$

$$f_{xy}(\pi, 2) = \underline{\hspace{10cm}}$$

47. At what point (x, y) does the function $f(x, y)$ have a local minimum?

$$f(x, y) = 7x^2 - xy + 5y^2 + 75x + 84y + 2$$

Local min occurs at _____

48. Given the information below, which critical point(s) (a, b) would be classified as a relative maximum?

(a, b)	$f_{xx}(a, b)$	$f_{yy}(a, b)$	$f_{xy}(a, b)$
$(7, 8)$	-5	-5	10
$(-8, -1)$	-4	-7	-2
$(1, 7)$	-10	-1	6

Answer: _____

49. Given the table below,

(a, b)	$f_{xx}(a, b)$	$f_{yy}(a, b)$	$f_{xy}(a, b)$
$(9, 4)$	-1	-1	-1
$(-2, 2)$	4	3	-4
$(4, 5)$	8	5	6

Which statements are true?

- I. $f(x, y)$ has exactly 1 saddle points
- II. $f(x, y)$ has exactly 1 relative minimum
- III. $f(x, y)$ has exactly 1 relative maximum
- IV. $f(x, y)$ has exactly 1 inconclusive critical point

Answer: _____

50. The critical points for a function $f(x, y)$ are $(0,0)$ and $(8,4)$. Given that the partial derivatives of $f(x, y)$ are

$$f_x(x, y) = 3x - 6y \quad f_y(x, y) = 3y^2 - 6x$$

Classify each critical point as a maximum, minimum, or saddle point.

$(0,0)$ is _____

$(8,4)$ is _____

51. Classify the critical points of the function $f(x, y)$ given the partial derivatives

$$f_x(x, y) = x - 2y \quad f_y(x, y) = y^2 - 2x$$

- A) 2 Local Minima
- B) 2 Saddle Points
- C) 1 Saddle Point and 1 Local Minimum
- D) 1 Saddle Point and 1 Local Maximum
- E) 1 Local Maximum and 1 Local Minimum
- F) 2 Local Maxima

52. Find the minimum of the function using LaGrange Multipliers of the function $f(x, y) = x^2 + 2y^2$ subject to the constraint $x^2 + y^2 = 1$.

Minimum Value = _____

53. Find the maximum value of the function $f(x, y) = 18x - 19y^2$ subject to the constraint $x^2 + 19y^2 = 81$.

Maximum Value = _____

54. A factory can produce a chocolate bar with a weight of $W(x, y) = \frac{xy}{100}$ with the weight W in ounces and x and y are the percentages of cocoa and sugar respectively. The percentage of cocoa and sugar are constrained to $2x + y = 75$. What is the weight, in ounces, of the largest chocolate bar that can be produced? Round to 2 decimal places.

Weight of Largest Chocolate Bar = _____

55. Evaluate the double integral

$$\int_0^{\pi/2} \int_0^1 16y^3 \cos(x) \, dy \, dx$$

$$\int_0^1 \int_0^{\pi/2} 16y^3 \cos(x) \, dy \, dx = \underline{\hspace{2cm}}$$

56. Evaluate the double integral

$$\int_0^7 \int_0^{\pi/2} 20y^4 \cos(x) \, dx \, dy$$

$$\int_0^7 \int_0^{\pi/2} 20y^4 \cos(x) \, dx \, dy = \underline{\hspace{2cm}}$$

57. Evaluate the definite integral.

$$\int_0^4 \int_3^x \frac{6x}{y^2} dy dx$$

$$\int_0^4 \int_3^x \frac{6x}{y^2} dy dx = \underline{\hspace{10em}}$$

58. Evaluate the definite integral.

$$\int_0^6 \int_2^x 30x dy dx$$

$$\int_0^6 \int_2^x 30x dy dx = \underline{\hspace{10em}}$$

59. Find the bounds for the integral $\iint_R f(x, y) dA$ where R is a triangle with vertices $(0,0)$, $(1,0)$, and $(1,2)$.

Answer: _____

60. Switch the order of integration for the following integral

$$\int_0^1 \int_{9y}^9 f(x, y) dx dy$$

Answer: _____

61. Switch the order of integration on the follow integral

$$\int_0^1 \int_{10y}^{10} f(x, y) dx dy$$

Answer: _____

62. Evaluate the double integral

$$\int_0^1 \int_y^1 2e^{x^2} dx dy$$

(Hint: Change the order of integration)

$$\int_0^1 \int_y^1 2e^{x^2} dx dy = \underline{\hspace{2cm}}$$

63. Evaluate the double integral

$$\int_0^2 \int_x^2 4e^{y^2} dy dx$$

(Hint: Change the order of integration)

$$\int_0^2 \int_x^2 4e^{y^2} dy dx = \underline{\hspace{10em}}$$

64. Evaluate the double integral

$$\int_0^1 \int_{\sqrt{y}}^1 \sin(x^3) dx dy$$

(Hint: Change the order of integration)

$$\int_0^1 \int_{\sqrt{y}}^1 \sin(x^3) dx dy = \underline{\hspace{10em}}$$