Lessons 24-26: Optimization

Optimization Problems: Often this includes finding the maximum or minimum value of some function.

- e.g. The minimum time to make a certain journey,
- The minimum cost for constructing some object,
- The maximum profit to gain for a business, and so on.

How do we solve an optimization problem?

- Determine a function (known as objective function) that we need to maximize or minimize.
- Determine if there are some constraints on the variables. (The equations that describe the constraints are called **the constraint equations**.)
 - If there are constraint equations, rewrite the **objective function** as a function of only one variable.
- Then we can solve for absolute maximum or minimum like we did before.

Civia the 1st/2nd Derivative Test

This space is left for you to take your own notes.

Recipe for Solving an Optimization Problem

Step 1: Identify what quantity you are trying to optimize.

- **Step 2:** Draw a picture (if applicable), corresponding to the problem, and label it with your variables.
- Step 3: Express the variable to be optimized as a function of the variables you used in Step 2.
- **Step 4:** Find relations among the variables from Step 2 and express the variable to be optimized a function of just one of the variables from Step 2.
- Step 5: Identify the domain for the function you found in Step 4.
- Step 6: Find the absolute maximum of the variable to be optimized on this domain. $M \stackrel{:}{\sim} M$ Step 7: Reread the question and be sure you have answered exactly what was asked.

This space is left for you to take your own notes.

Becureful w/ () or [] e.g. No negatives for \$\$5 or

Example 2: Of all the numbers whose sum is 50, find the two that have the maximum product. Let x and y be such #5. (f) x = 26() Froduct y = 50 - X = 252 None $\bigcirc P = XY$ $(j) \times + y = 50$ 5 Domain X and y: $(-\infty,\infty)$ 6 Solve 10 for y. y = 50 - X Plug y into 3 $P \neq \times (5\delta - \times)$ $=50\times-\times^{2}$ Take the derivative set = 0. $P' = 50 - \lambda x = 0$ X=25 Check that X=25 gives abs max. Since you have no endpts, use and Derivatives. p"=-2<0 =) abs max

Example 3: A carpenter is building a rectangular room with a fixed perimeter of 54 feet. What are the dimensions of the largest room that can be built? What is its area?

(DArea A=xy 4)54=P=2x+2y 27 = x + y(5) Domain X and y: (0,27) X, y=0=) no length 27= Uty y=27'=) no width 6 Solve (1) for y y = 27 - XPlug y into (3). $A = \times (27 - X)$ $= 27 \times - \times^{2}$ Take levivative of $A \leq c + = D$ A' = 27 - 2X = 0 $X = 27/_{2}$

A"=-2<0=2abs max (7) x = 27/2 $y = 2 \pi 2$ $A = \frac{729}{11}$

Example 4: An open-top box with a square base is to have a volume of 8 cubic feet. Find the dimensions of the box that can be made with the least amount of material.

 $\Im \chi^3 = \Im 2$ Surface Area $x^3 = 16$ Y = 2.3 [z]Check abs MIN $SA = x^2 + 4xy$ $(5A)'' = d - 32(-2)x^{-1}$ $S = V = x^{\perp} Y$ $2 + \frac{64}{x^3}$ Domain X and y. $(SA)''(2\cdot3\sqrt{2}) = 2 + \frac{64}{17} > 0$ $|0,\infty\rangle$ Solve (4) for y. $y = \frac{x}{\sqrt{2}}$ abs min $\overline{f} x = 2 \cdot \sqrt{2}$ plug y into 3 $Y = \frac{3}{(2:32)^2} = 3\sqrt{2}$ $SA = \chi^2 + 4\chi \left(\frac{\chi}{\chi^2}\right)$ $= X^{1} + \frac{32}{32}$ 2.32 × 2.32 × 32 $= x^{2} + 32x^{-1}$ Take derivative of SA set = n $(SA)' = 2x - 32x^{-2} = 0$ $2 \times - \frac{32}{\sqrt{2}} = 0$

Example 1: From a thin piece of cardboard 20 in by 20 in, square corners are cut out so that the sides can be folded up to make a box. What dimensions will yield a box of maximum volume? What is the maximum volume?



 $V''(\frac{10}{3}) = -80(0) \Longrightarrow abs max$

 $\textcircled{P} = \frac{10}{3} \\ 20 - 2x = \frac{40}{3} \\ \boxed{PimensionJ} \\ \frac{10}{3} \times \frac{40}{3} \times \frac{40}{3} \\ \boxed{Volume} = \frac{1600}{27}$

<u>HW 24.6</u>: You are designing a paper with an area of 400 cm^2 to contain a printing area in the middle and have the margins of 2 cm at the top and bottom and 4 cm on each side. Find the largest possible printing area.



(6) Solve (1) for y. $\frac{400}{x+4} = Y+8$ $\frac{400}{2+4} - 8 = \gamma$ Plug y into 3 $A = \times \left(\frac{400}{x+4} - 8\right)$ $= 400 \times - 8 \times$ $A' = \frac{1600}{(x+4)^2} - 8 = 0$ $\frac{1600}{(x+4)^2} = \frac{x}{1}$ $\chi(\chi + 4)^2 = 1600$ $(x+4)^2 = 700$ $X + 4 = \pm 10.2$ X=-4\$100 4 b/2 (5) $A' = [660(x+y)^{-2} - 8$ $A'' = -3260(x+4)^{-3}$

<u>HW 24.6</u>: You are designing a paper with an area of 400 cm^2 to contain a printing area in the middle and have the margins of 2 cm at the top and bottom and 4 cm on each side. Find the largest possible printing area.

$$A''(10\sqrt{2}-4) = -\frac{3200}{(10\sqrt{2})^3} < 0 = Max$$

Example 5: A Norman window is constructed by adjoining a semicircle to the top of an ordinary rectangular window. Find the dimensions of a Norman window of maximum area if the total perimeter is 10 feet.



 $\begin{array}{l} Puy \ w \ into \ (3) \\ A = \frac{1}{2} \pi r \left(\frac{10 - 2r - \pi r}{2} \right) \end{array}$

$$A = \frac{1}{2}\pi r^{2} + 10r - 2r^{2} - \pi r^{2}$$

$$A' = \frac{2\pi}{2}r + 10 - 4r - 2\pi r$$

$$= \pi r + 10 - 4r - 2\pi r$$

$$= \pi r + 10 - 4r - 2\pi r$$

$$= \pi r + 10 - 4r - 2\pi r$$

$$= \pi r r + 10 - 4r - 2\pi r$$

$$= \pi r r + 10 - 4r - 2\pi r$$

$$= \pi r r r$$

$$= \pi r r$$

Example 6: A rectangular box is to have a square base and a volume of 800 ft^3 . If the material for the base costs \$2 per square foot, the material for the sides costs \$4 per square foot, and the material for the top costs \$1 per square foot, determine the minimum cost for constructing such a box.

(1)
$$cost, C$$

(2) f_{x}
(3) $c = 2(x^{0}) + 4(4xy) + 1(x^{2})$
 $= 3x^{2} + 16xy$
(4) $x^{0} + 16xy$
(5) $200 = V = x^{2}y$
(6) $200 = V = x^{2}y$
(7) $\frac{200}{(0/\infty)}$
(6) $50|v \in 40$ for y .
 $\frac{800}{x^{2}} = y$
Plug y in (3).
 $c = 3x^{2} + 16 \times (\frac{800}{x^{2}})$
 $= 3x^{2} + 16(\frac{800}{x^{2}})$
 $= 3x^{2} + 12800 \times 1^{-1}$
 $c' = 6x - 12800 \times 2^{-1}$
 $c' = 6x - 12800 \times 2^{-1}$
 $c' = 6x - 12800 \times 2^{-1}$

$$\frac{6 \times 1}{1} = \frac{12800}{x^2}$$

$$\frac{6 \times 3}{1} = \frac{12800}{x^2}$$

$$\frac{6 \times 3}{100/3} = \frac{12800}{x^3}$$

$$\frac{6 \times 3}{100/3} = \frac{4 \times 3}{100/3}$$

$$(1) = 6 + 25600 \times 3^3$$

$$= 6 + 25600 \times 3^3$$

$$\frac{6}{x^3} = 6 + 25600 \times 3^3$$

$$\frac{7}{x^3} = \frac{4 \times 3}{100/3}$$

$$\frac{7}{x^3} = \frac{200}{16(100/3)^{2/3}}$$

$$C = 562.14$$

Example 7: A company's marketing department has determined that if their product is sold at the price of *p* dollars per unit, they can sell q = 2400 - 200p units. Each unit costs \$5 to make.

1. What price, p, should the company charge to maximize their revenue?

Example 7: A company's marketing department has determined that if their product is sold at the price of *p* dollars per unit, they can sell q = 2400 - 200p units. Each unit costs \$5 to make.

2. What price, p, should the company charge to maximize their profit?

Example 8: Find the point on the graph of f(x) = 2x + 4 that is the closest to the point (1,3).

HW 25.4: For a cylinder with a surface area of 20, what is the maximum volume that it can have? Recall that the volume of a cylinder is $\pi r^2 h$ and the surface area is $2\pi rh + 2\pi r^2$ where r is the radius and h is the height.

HW 26.1: A rectangular recreational field needs to be built outside of a gymnasium. Three walls of fencing are needed and the fourth wall is to be a wall of the gymnasium itself. The ideal area for such a field is exactly $490000 ft^2$. In order to minimize costs, it is necessary to construct the fencing using the least amount of material possible. Assuming that the material used in the fencing costs \$25/ft, what is the least amount of money needed to build this fence of ideal area?