

**STAT 472**  
**Spring 2021**

**Test 1**

March 4, 2021

1. For a new iPhone, the distribution function of its future lifetime is  $F_0(t) = 0.01t^2$  for  $0 \leq t \leq 10$

.

a. Calculate the complete future lifetime of a new iPhone.

b. Trevor buys a used iPhone that is two years old. What is the probability that Trevor's iPhone will still be alive (functioning) at the end of three years when it is five years old.

2. You are given:

i.  $A_{70} = 0.6435$

ii.  $A_{71} = 0.7000$

iii.  $v = 0.90$

a. Calculate  $q_{70}$ .

b. Calculate  ${}_{0.5}q_{70.2}$  assuming that there is a constant force of mortality between ages 70 and 71.

3. You are given:

a.  $\mu_{x+0.4} = 0.13$

b.  $q_{x+1} = q_x + 0.02$

c. Deaths are uniformly distributed between integral ages.

Calculate  ${}_{0.2|0.5}q_{x+0.7}$ .

4. You are given the following one year select and ultimate mortality table:

$[x]$	$q_{[x]}$	$q_{x+1}$	$x+1$
80	0.05	0.10	81
81	0.07	0.12	82
82	0.10	0.15	83
83	0.13	0.19	84

Calculate  $e_{\overline{[81]:3}}$ .

5. The actuaries at Purdue have set short term improvement factors for population mortality based on the experience in 2019 and 2020, and long term factors based on projected values in 2030 and 2031. Actuaries calculate the appropriate improvement factors for intermediate years using a cubic spline which takes the form of  $C_a(x, t) = at^3 + bt^2 + ct + d$ .

You are given the following information:

- (i) There are no cohort effects.
- (ii)  $\varphi(35, 2019) = 0.027$     $\varphi(35, 2020) = 0.025$
- (iii)  $\varphi(35, 2030) = 0.010$     $\varphi(35, 2031) = 0.010$
- (iv)  $a = 0.00001$
- (v)  $b = -0.00005$

- a. Determine the parameters  $c$  and  $d$  to be used to calculate the improvement factors.

Continued on the next page.

b. Calculate the improvement factor applying to a life age 35 in 2024 accurate to five decimal places.

c. It is important to reflect mortality improvement in actuarial models to protect from longevity risk. Define longevity risk and give two examples.

6. Arthur is (80) and buys a three year endowment insurance with a death benefit of 10,000 paid at the end of the year of death.
- a. Write the random variable for Arthur's endowment insurance.

You are given that:

- i.  $q_{80} = 0.08$
  - ii.  $q_{81} = 0.10$
  - iii.  $v = 0.93$
- b. Calculate the Actuarial Present Value of Arthur's endowment insurance.

7. Filza is 95 and buys a whole life policy with a death benefit of 100,000 paid at the end of the year of death.

You are given the following mortality table and  $i = 0.08$ .

$x$	$q_x$
95	0.2
96	0.5
97	0.8
98	1.0

Let  $Z$  be the present value random variable of Filza's whole life insurance.

Calculate the  $\sqrt{\text{Var}[Z]}$ .



8. Dylan is (35) and buys a 10 year term policy with a death benefit of 500,000 paid at the end of the year of death.

You are given that mortality follows the illustrative life table with interest at 5%.

- a. Calculate the Expected Present Value of this term policy.

- b. Explain why a 10 year term insurance has an actuarial present value that is less than a 20 year term insurance.

9. Jiaying is (60) and buys a pure endowment of 25,000 to be paid at the end of 10 years if she is alive at that time.

You are given that  $\mu_{60+t} = 0.01t$  . You are also given that  $\delta = 0.06$  .

Calculate the Actuarial Present Value of Jiaying's pure endowment.