Lesson 19 Worksheet

February 26, 2018

For each problem:

- a. find the largest open intervals on which f(x) is concave up and concave down
- b. find the inflection points (x, y)
- c. find all relative extrema (use the second derivative test if possible)

1.
$$f(x) = (x^2 + 1)e^x$$

2.
$$f(x) = \ln(\sqrt{x^2 + 3})$$
 (Hint: Simplify FIRST!)

3.
$$f(x) = \frac{1}{3}x^4 - \frac{1}{2}x^2 + 3$$

4.
$$f(x) = x^4 + 4x^3 + 6x^2$$

5.
$$y = \frac{1}{20}x^5 + \frac{1}{4}x^4 - \frac{2}{3}x^4 - 6x^2$$
 (don't do part (c))

Answers:

- 1. a. concave up on $(-\infty, -3) \cup (-1, \infty)$; concave down on (-3, -1)
 - b. inflection points at $(-3, \frac{10}{e^3}), (-1, \frac{2}{e})$
 - c. no relative extrema (2nd derivative test fails; 1st derivative test shows that f(x) is always increasing)
- 2. a. concave up on $(-\sqrt{3}, \sqrt{3})$; concave down on $(-\infty, -\sqrt{3}) \cup (\sqrt{3}, \infty)$
 - b. inflection points at $(-\sqrt{3}, \ln \sqrt{6}), (\sqrt{3}, \ln \sqrt{6})$
 - c. relative minimum at $(0, \ln \sqrt{3})$
- 3. a. concave up on $(-\infty, -1/2) \cup (1/2, \infty)$; concave down on (-1/2, 1/2)
 - b. inflection points at $(-\frac{1}{2}, \frac{139}{48}), (\frac{1}{2}, \frac{139}{48})$
 - c. relative minimum at $\left(-\frac{\sqrt{3}}{2}, \frac{45}{16}\right), \left(\frac{\sqrt{3}}{2}, \frac{45}{16}\right)$; relative maximum at (0,3)
- 4. a. concave up on $(-\infty, \infty)$
 - b. no inflection points
 - c. relative minimum at (0,0)
- 5. a. concave up on $(-3, -2) \cup (2, \infty)$; concave down on $(-\infty, -3) \cup (-2, 2)$
 - b. inflection points at $(-3, -\frac{279}{10}), (-2, -\frac{244}{15}), (2, -\frac{356}{15})$