

## EXAMPLES OF SECTIONS 4.6, 4.8

In the problems below, let  $A$  be the matrix

$$A = \begin{bmatrix} 1 & -4 & -3 & -7 \\ 2 & -1 & 1 & 7 \\ 1 & 2 & 3 & 11 \end{bmatrix}.$$

**Question 1.** Give the column and row spaces of  $A$  in terms of a basis.

**Question 2.** Find a basis for the solution space to  $Ax = 0$ .

**Question 3.** What is the dimension of Null space of  $A$ ?

### SOLUTIONS.

1. Applying Gauss-Jordan elimination we find

$$rref(A) = \begin{bmatrix} 1 & 0 & 1 & 5 \\ 0 & 1 & 1 & 3 \\ 0 & 0 & 0 & 0 \end{bmatrix}.$$

The first two columns are pivot columns, i.e., they contain a leading one. Therefore the first two columns of  $A$  are linearly independent, and

$$\text{colspace}(A) = \text{span} \left\{ \begin{bmatrix} 1 \\ 2 \\ 1 \end{bmatrix}, \begin{bmatrix} -4 \\ -1 \\ 2 \end{bmatrix} \right\}.$$

The non-zero rows of  $rref(A)$  are the first and the second, therefore

$$\text{rowspace}(A) = \text{span} \left\{ \begin{bmatrix} 1 \\ 0 \\ 1 \\ 5 \end{bmatrix}, \begin{bmatrix} 0 \\ 1 \\ 1 \\ 3 \end{bmatrix} \right\}.$$

**Remark.** It is important to remember that, after finding  $rref(A)$ , the columns that form a basis of  $Col(A)$  are the columns of the original matrix (i.e.,  $A$  itself, as opposed to  $rref(A)$ ) which correspond to pivot columns, while a basis for  $Row(A)$  is given by the non-zero rows of  $rref(A)$  — and not of the original matrix  $A$ .

2. The augmented matrix of the system is

$$\begin{bmatrix} 1 & -4 & -3 & -7 & \vdots & 0 \\ 2 & -1 & 1 & 7 & \vdots & 0 \\ 1 & 2 & 3 & 11 & \vdots & 0 \end{bmatrix}.$$

Applying Gauss-Jordan elimination we find

$$\begin{bmatrix} 1 & 0 & 1 & 5 & \vdots & 0 \\ 0 & 1 & 1 & 3 & \vdots & 0 \\ 0 & 0 & 0 & 0 & \vdots & 0 \end{bmatrix}.$$

Therefore  $x_3$  and  $x_4$  are free variables. Denoting by  $x_3 = s$ ,  $x_4 = t$ , we can then write

$$\begin{aligned} x_1 &= -s - 5t, \\ x_2 &= -s - 3t. \end{aligned}$$

Therefore solutions  $\vec{x} = (x_1, x_2, x_3, x_4)$  can be written as

$$\begin{bmatrix} x_1 \\ x_2 \\ x_3 \\ x_4 \end{bmatrix} = \begin{bmatrix} -s - 5t \\ -s - 3t \\ s \\ t \end{bmatrix} = s \begin{bmatrix} -1 \\ -1 \\ 1 \\ 0 \end{bmatrix} + t \begin{bmatrix} -5 \\ -3 \\ 0 \\ 1 \end{bmatrix} = s\vec{u} + t\vec{v},$$

where

$$\vec{u} = \begin{bmatrix} -1 \\ -1 \\ 1 \\ 0 \end{bmatrix}, \quad \vec{v} = \begin{bmatrix} -5 \\ -3 \\ 0 \\ 1 \end{bmatrix}.$$

The vectors  $\vec{u}$  and  $\vec{v}$  are a basis for the solution space of the system. In other words, *any* solution  $\vec{x}$  of the system can be written as

$$\vec{x} = s\vec{u} + t\vec{v},$$

for some  $s, t \in \mathbb{R}$ .

3. Dimension of Null space of  $A = 2$ .