Study Guide for Exam 3

1. You are supposed to know how to find the absolute maximum and absolute minimum of a function f defined on the closed interval [a, b], by comparing the values on the end points f(a), f(b) and the values on the critical value(s) f(c)(s). You should know what the definition of a critical value is.

Example Problems:

1.1. Find the absolute maximum/minimum and local maximum/minimum of the function defined by

$$f(x) = 3x^4 - 16x^3 + 18x^2$$

on the closed interval [-1, 4].

1.2. Find the absolute maximum and absolute minimum values of the function f on the given interval.

(a) $f(x) = 2x^3 - 3x^2 - 12x + 1$ on [-2, 3](b) $f(x) == xe^{x/2}$ on [-3, 1](c) $f(x) = (x^1 - 1)^3$ on [-1, 3](d) $f(x) = 2\cos t + \sin 2t$ on $[0, \pi/2]$ (e) $f(x) = \ln(x^2 + x + 1)$ on [-1, 1]

2. You are supposed to be able to use the 1st Derivative Test, as well as the 2nd Derivative Test, to find the local maximum and local minimum of a function.

Example Problems:

2.1. The first derivative of a function f is given by

$$f'(x) = (x+2)^2(x+1)(x-1)^3(x-3)^2(x-5).$$

Find the values of x for which the function f takes

(a) local maximum, and

(b) local minimum.

2.2.

(a) Find the critical numbers of the function $f(x) = x^8(x-4)^7$.

(b) What does the Second Derivative Test tell you about the behavior of f at these critical numbers?

(c) What does the First Derivative Test tell you that the Second Derivative test does not?

3. You are supposed to tell whether the graph of a function is concave up/down, and find its inflection points, by looking at the second derivative of the function.

Example Problems:

3.1. Determine how the concavity changes for the function

$$f(x) = \frac{1}{2}x - \sin(x)$$

on the interval $(0, 3\pi)$.

3.2. The second derivative of a function f is given by

$$f''(x) = (x+5)^3(x+2)^2(x-2)^5(x-3)^3(x-6)^2.$$

find the x-coordinates of all the inflection points.

4. You are supposed to know how to compute the limits using L'Hospital's Rule, under the provision that the limits are formally of the form $\frac{0}{0}, \frac{\pm \infty}{\pm \infty}$.

Example Problems:

(a)
$$\lim_{x \to \infty} \frac{\ln(x)}{\sqrt{x}}$$

(b)
$$\lim_{x \to 0} \frac{1 - \cos x}{\frac{3x^2}{3x^2}}$$

(c)
$$\lim_{x \to 0} \frac{\sin x}{\frac{1 - x^2}{3x - 6^x}}$$

(d)
$$\lim_{x \to 0} \frac{7^x - 6^x}{3^x - 2^x}$$

5. You are suppose to know how to compute the limits of the form $\pm \infty \times 0, \infty - \infty$.

Example Problems:

(a)
$$\lim x \to 0^{+} \sin(x) \ln(2x)$$

(b)
$$\lim_{x \to \infty} 2x \tan\left(\frac{1}{3x}\right)$$

(c)
$$\lim_{x \to \left(\frac{\pi}{2}\right)^{-}} (2x - \pi) \cdot \tan(x)$$

(d)
$$\lim_{x \to 1} \left(\frac{x}{x - 1} - \frac{1}{\ln(x)}\right)$$

(e)
$$\lim_{x \to 4} \left(\frac{1}{\sqrt{x} - 2} - \frac{4}{x - 4}\right)$$

6. You are supposed to be able to compute the limits $\lim_{x\to a} [f(x)]^{g(x)}$ of the form $0^0, \infty^0, 1^\infty$.

Example Problems:

Compute the following limits:

(a)
$$\lim_{x \to \infty} \left(1 + \frac{3}{x} \right)^{rx}$$

(b)
$$\lim_{x \to \infty} \left(\frac{2x+1}{2x-1} \right)^{4x+1}$$

(c)
$$\lim_{x \to \infty} (2x+e^{5x})^{1/x}$$

(d)
$$\lim_{x \to 0^+} \tan(5x)^{\sin x}$$

7. You are supposed to be able to know how to apply this corollary of the Mean Value Theorem to compute some value which is seemingly difficult to determine otherwise: If f'(x) = 0 for all values of $x \in (a, b)$, then a continuous function f on the closed interval [a, b] is actually a constant.

Example Problems:

- 7.1. Look at Example 6 on Page 291 of the textbook.
- 7.2. Determine the exact value of

$$\sin^{-1}\left(\frac{1}{5}\right) + \cos^{-1}\left(\frac{1}{5}\right).$$

7.3. By considering the function

$$f(x) = 2\sin^{-1}x - \cos^{-1}(1 - 2x^2)$$

on the interval [0, 1], determine the exact value of

$$2\sin^{-1}(1/3) - \cos^{-1}(1 - 2(1/3)^2).$$

8. You are supposed to be able to sketch the graph of a function by computing the 1st derivative (increasing or decreasing) and 2nd derivative (concave up or down), and also by determining the horizontal/vertical asymptotes and x-intercept (y-intercept). Go over the examples given in the Webassign and the textbook.

Example Problems:

8.1. Draw the graph of the following function:

(a)
$$y = f(x) = \frac{1}{x^2 - 16}$$

(b) $y = f(x) = \frac{1}{x^2 + 16}$
(c) $y = f(x) = \frac{1}{x^2 - 16}$
(d) $y = f(x) = \frac{x^2}{x^2 - 16}$
(e) $y = f(x) = e^{-x} \sin x$
(f) $y = f(x) = \ln(x^2 - 10x + 24)$

9. You are supposed to be able to determine the horizontal/vertical asymptote(s) of the graph of a function.

Example Problems:

9.1. Find the horizontal/vertical asymptote(s) of the graph of the function

$$y = f(x) = \frac{2x^2}{x^2 - 1}$$

9.2. Find the horizontal/vertical asymptote(s) of the graph of the function (x, y) = (x, y)

$$y = f(x) = \ln(x^2 - 6x + 8).$$

10. You are supposed to be able to determine the equation of the slant asymptote of a function.

Example Problems:

10.1. Find the equation of the slant asymptote of the function

$$f(x) = \frac{-3x^3 + 2x^2 + 7x - 5}{x^2 + x + 1}.$$

10.2. Find the equation of the slant asymptote of the function

$$f(x) = \sqrt{x^2 + 2x - 3}$$

11. Total of 3 Optimization Problems will be given in Exam 3.

Example Problems:

Go over ALL the problems discussed in the Webassign HW 25 and HW 26.